

# Adams Rite 2018 Pricelist

U.S. effective February 1, 2018 Canada effective April 2, 2018



# 2018 Price List Adams Rite

## Architectural Hardware

Table of Contents	3 – 4

#### **Products**

DEADLOCKS	
RT1050 RITE Touch®Digital Glass Door Lock	5
1830 Bottom Rail Deadlock (Swingbolt)	5
MS1837 Series MS® Two-Point Deadlock	5
MS1847 Series MS® Deadlock/Deadlatch	6
MS1850S, MS1850S-X5X Series MS® Deadlock	6
1850S-X2X Series Short Throw Deadlock	7
MS1850SN, MS1850SN-45X Series MS <sup>®</sup> Deadlock (ANSI Size)	7
MS1861 Series MS® Bottom Rail Deadlock	7
1875 Two-Point Deadlock	8
MS+1890 Series MS* Deadlock/Deadlacth	8
MS1950, MS1950-X5X Series MS® Deadlock	9
2190, 2290 Dual Force* Interconnected Deadbolt/Deadlatch for Aluminum Stile Doors (2190); for Wood or Hollow Metal (2290)	10
2331 Heavy Duty Deadbolt	11
4070 Series Short Throw Deadbolt (Projection Style)	11
5017 Wood Door Deadlock/Deadlatch	11
5055 Wood Door Deadlock for Sliding Doors	12
4189, 4190 Flush Locksets (Including Deadlock)	moved to Flushlock section
4430, 4431 Flush Locksets (Including Deadlock)	moved to Flushlock section

DEADLATCHES	
4300 Steel Hawk® Electrified Deadlatch	12
4300 RITE Pack®	13
4510 Standard Duty Deadlatch	13
4530 Standard Duty Deadlatch	14
4781 Two-Point Deadlatch with Paddle	14
4900 Heavy Duty Deadlatch	15
4920AN Heavy Duty Deadlatch (ANSI Size)	15

FLUSHLOCKS	
1870 Cylinder-Operated Flushbolt	16
1870HM Cylinder-Operated Flushbolt	16
1877 Cylinder-Operated Flushbolt	17
MS1880, MS1881 Two-Point Flushlocks	17
MS2180 Auto-Release Two-Point Flushbolt	17
4189, 4190 Flush Locksets (Including Deadlock)	18
4430, 4431 Flush Locksets (Including Deadlock)	19
B1921, B1923 Reinforcing Pivots	_moved to Cylinders and Accessories section

8099 Dummy Pushbar	19
3100, 8100 Surface Vertical Rod Exit Device	20
8200 Narrow Stile Surface Vertical Rod Exit Device	20
3300, 8300 Mortise Exit Device	2
8400 Narrow Stile Mortise Exit Device	22
3600, 8500 Metal Door Concealed Vertical Rod Exit Device	23
8600 Narrow Stile Concealed Vertical Rod Exit Device	23
3700, 8700 Rim Exit Device	24
8800 Narrow Stile Rim Exit Device	24
3900, 8900 Wood Door Concealed Vertical Rod Exit Device	2
Accessories for 3000/8000 Series Exit Devices	2
Kitted Options for 3000/8000 Series Exit Devices	2
Modification Options for 3000/8000 Series Exit Devices	26
NEW EX SERIES	
EX80 Dummy Push Bar	26
EX88 Interlocking Rim Exit Device	26

EX89 Pullman Rim Exit Device \_\_\_\_\_\_
EX76 Concealed Vetical Rod Exit Device \_

Accessories for EX Series Exit Devices\_

ELECTRIC STRIKES	
7100, 7101 Electric Strikes	27
7110, 7111 Electric Strikes	27
7130, 7131 Electric Strikes	27
7140 Electric Strike	28
7160 Electric Strike	28
7170 Electric Strike	28
7100 Series Electric Strikes Components	29
7240 Fire-Rated Electric Strike	30
7270 Fire-Rated Electric Strike	30
7400, 7401 Ultraline® Electric Strikes	30
7410, 7411 Ultraline® Electric Strikes	31
7430, 7431 Ultraline® Electric Strikes	31
7440 Ultraline® Electric Strikes	31
74R1 Ultraline® Electric Strikes	32
74R2 Ultraline® Electric Strikes	32
7400 Series Electric Strikes Components	33

TRIM	
1000 Series Turns	34
3000 Fixed Pull	34
3080 Series Entry Trim	35
3090, 3090P/C eForce <sup>®</sup> Keyless Entry	36
A100-3090H Keyless Entry and Aperio® Hub Wholesale Kit	36
4060 Turn	37
4550 MS <sup>®</sup> Deadlock Lever	37
4560, 4565 Series Deadlatch Handles	38
4568, 4569 Eurostyle Deadlatch Handles	39
4590 Deadlatch Paddle	40
4591 Deadlatch Paddle	41
4600 Heavy Duty Designer Deadlatch Handles	42
CYLINDERS AND ACCESSORIES	

CYLINDERS AND ACCESSORIES	
4024, 4025, 4029 Cylinder Pulls	43
4036 Mortise Cylinder	43
MS4043 Cylinder Guard	44
4066 Thumbturn	44
4580 Cam Disc	44
4581 Universal Cam Disc	45
8650 Cylinder Escutcheon Kit	45
8736 Rim Cylinder	45
4014 Two-Point Conversion Kit	45
4015 Threshold Bolt	45
4016 Header Bolt	46
4085 Header Bolt (Pairs of Doors Only)	46
4089 Exit Indicator	46
4104 Mounting Bridges	47
91-0965 Universal Mounting Tab Kits for Installing MS® Locks & Latches	47
B1921, B1923 Reinforcing Pivots	47
8736 Rim Cylinder	45 45 45 46 46 46 47 47

STRIKES	
2190 Dual Force® Interconnected Deadbolt/Deadlatch Strikes	47
2290 Dual Force® Interconnected Deadbolt/Deadlatch Strikes	47
4000 Series MS® Deadlock Strikes	48
4800, MS 4804 Series Strikes	48
4901, 4902 Deadlatch Strikes	49
4304 Deadlatch Strike	49

THICK DOOR KITS	
2190, 2290 Dual Force® Interconnected Deadbolt/Deadlatch Thick Door Kit	_50
4568, 4569 Eurostyle Deadlatch Handles Thick Door Kits	_50

FACEPLATES	
MS1850S Deadlocks Faceplates	50
MS1850S, MS1950 Deadlock (Standard Bolt) Faceplates	50
MS1850S, MS1950 Deadlock (Hookbolt and Short Bolt) Faceplates	51
MS1850SN Deadlock (Standard Bolt) Faceplates	51
MS1850SN Deadlock (Hookbolt) Faceplates	51
1870 Flushbolt Faceplates	51
MS+1890 Deadlock Faceplates	52
2190 Dual Force® Interconnected Deadbolt/Deadlatch Faceplates	52
2331 Heavy Duty Deadbolt Faceplates	52
3300 Fire-Rated Mortise Exit Device Faceplates	52
4070 Short Throw Deadbolt Faceplates	52
4500 Standard Duty Deadlatch Faceplates	52
4530 Standard Duty Deadlatch Faceplates	53
4900 Heavy Duty Deadlatch Faceplates	53
4900 Heavy Duty Deadlatch Special Faceplates	53
4920, 8300 Faceplates	53
7100, 7160 Electric Strikes Faceplates	53
7101 Electric Strike Faceplates	53
7110 Electric Strike Faceplates	53
7111 Electric Strike Faceplates	53
7130 Electric Strike Faceplates	54
7131 Electric Strike Faceplates	54
7140. 7170 Electric Strike Faceplates	54

POWER	
PS-1 Power Supply	5
PS-LR Power Supply	5
PS-SE Power Supply	5
4612 Power Transfer Device	5
4603, 4605, 4606 Accessories for Power	5

DEMO	MACI	INITO
		11/11 >

DEADLOCKS & DEADLATCHES	
RT1050 RITE Touch® Digital Glass Door Lock	56
2190 Dual Force® Interconnected Deadbolt/Deadlatch	56
4300 Steel Hawk® Electrified Deadlatch (eLatch)	56
ELECTRIC STRIKES	
7400 Ultraline® Electric Strikes	56
EXIT DEVICES	
8400 Narrow Stile Mortise Exit Device	56
TRIM	
3090, 3090P/C eForce <sup>®</sup> Keyless Entry	57
A100-3090H Keyless Entry and Aperio® Hub Wholesale Kit	57
4600 Heavy Duty Designer Deadlatch Handles	57

#### General Information

Adams Rite Limited Warranty/Terms and Conditions	58
Canadian Terms & Conditions	55



#### RT1050

#### RITE Touch® Digital Glass Door Lock




MODELS	
RT1050D Digital glass door lock with thumbturn, for single doors, or pairs of doors with one inactive leaf	\$630
RT1050L Digital glass door lock with lever, for single doors, or pairs of doors with one inactive leaf	\$630
RT-5C-1050 Extra cards (package of 5 cards)	\$60

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
RITE TOUCH MODEL TRIM			
RT	1050	D	
	1050 For glass doors	<b>D</b> Thumbturn	
		L Accessibility lever	

#### 1830

#### Bottom Rail Deadlock (Swingbolt)





HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO. DASH NO. (SPECIFY FOR CYLINDER HEIGHT AND LOCK DEPTH) FINISH			
1830	-02	-628	
	02 Cylinder Height 31/32" Dim. "A" 1-5/8" 628 Clear Anodized		
	03 Cylinder Height 1-1/8" Dim. "A" 1-25/32" 313 Dark Bronze Anodized		

#### MS1837

#### Series MS® Two-Point Deadlock



MODELS & FINISHES	313, 335, 628	605, 626
MS1837 Deadlock includes 4001-011 strike, 36" cylinder height	\$245	\$330
MS1837 Deadlock includes 4001-011 strike, contact factory for cylinder height other than 36" up to maximum cylinder height 65"	\$300	\$385

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	FINISH		
MS1837	-313		
	313 Dark Bronze Anodized	<b>626</b> Satin Chrome	
	335 Black Anodized	628 Clear Anodized	
	605 Bright Brass		


If cylinder height other than 36" is required, specify exact height from bottom of door to cylinder center. Maximum cylinder height 65".




#### MS1847

#### Series MS® Deadlock/Deadlatch

MODEL & FINISH	630
MS1847 Deadlock/deadlatch, stainless steel	\$61





#### MS1850S, MS1850S-X5X

#### Series MS® Deadlock



MODELS & BACKSETS	7/8"	31/32", 1-1/8", OR 1-1/2"
MS1850S Flat faceplate, 313, 335, or 628 finish, without strike plate	\$82	\$70
MS1851S Radius faceplate, 313, 335, or 628 finish, without strike plate	\$82	\$70
MS1851SW Radius faceplate with weatherstrip, 313, 335, or 628 finish, without strike plate	\$87	\$75
MS1852S Bevel faceplate, any handing, 313, 335, or 628 finish, without strike plate	\$82	\$70
SPECIAL MODEL	7/8"	31/32", 1-1/8", OR 1-1/2"
MS1853S-XXX-IB Without faceplate, without strike plate	\$74	\$62

Schoolhouse function for above deadlocks add\$36. Please contact factory for more information.

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO. FACEPLATE		BACKSET	BACKSET BOLT SHAPE	HANDING	FINISH
MS185	OS	-2		0	-628
	OS Flat	<b>1</b> 7/8"	1 Straight bolt	0 Non-Handed*	313 Dark Bronze Anodized
	1S Radius	<b>2</b> 31/32"	5 Hookbolt	5 LH or RHR	335 Black Anodized
	1SW Radius with weatherstrip	3 1-1/8"		6 RH or LHR	628 Clear Anodized
	2S Bevel	4 1-1/2"			
	3 Without faceplace, without strike plate				

\*Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only.



#### 1850S-X2X





MODELS & FINISHES	313, 335, 628
1850S Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	\$70
<b>1851S</b> Radius faceplate, 313, 335, or 628 finish, without strike plate	\$70
1852S Bevel faceplate, any handing, 313, 335, or 628 finish, without strike plate	\$70
SPECIAL MODEL	
1853S-X20-IB Without faceplate, without strike plate	\$62

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH	
185	OS			0	-628	
	<b>0S</b> Flat	<b>2</b> 31/32"	2 Short Throw	<b>0</b> Non-Handed*	313 Dark Bronze Anodized	
	1S Radius	3 1-1/8"		5 LH or RHR	628 Clear Anodized	
	2S Bevel	<b>4</b> 1-1/2"		6 RH or LHR		
	3 Without faceplace, without strike plate					

 $<sup>^*</sup>$ Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only.

## Series MS® Deadlock (ANSI Size)




MODELS	313, 335, 628
MS1850SN Flat faceplate, 1-1/2" backset, without strike plate	\$99
MS1851SN Radius faceplate, 1-1/2" backset, without strike plate	\$99
MS1852SN Bevel faceplate, any handing, 1-1/2" backset, without strike plate	\$99

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO. FACEPLATE ANSI SIZE BOLT SHAPE HANDING FINISH						
MS185	0	SN	-41	0	-628	
	0 Flat		41 Straight bolt	<b>0</b> Non-Handed*	313 Dark Bronze Anodized	
	1 Radius		45 Hookbolt	5 LH or RHR	335 Black Anodized	
	2 Bevel			6 RH or LHR	628 Clear Anodized	

<sup>\*</sup>Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only.

#### MS1861

#### Series MS® Bottom Rail Deadlock



MODELS & FINISH	603
MS1861-01 One-point deadlock, vertical bolt operation only	\$145
MS1861-02 Two-point deadlock, horizontal and vertical operation	\$180


HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	PRODUCT NO. BOLT OPERATION FINISH PACKAGING					
MS1861	MS1861 -01		-IB			
	<b>01</b> Vertical Bolt Only	603 Zinc plated steel	IB Individually Boxed			
	02 Vertical and Horizontal Bolts					

If tube spacers are required, please specify quantity and length.

**USA** 



#### Two Point Deadlock



MODEL & FINISH	603
1875 Two-point deadlock for roll-up doors	\$180

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO. PACKAGING					
1875	-IB				
	IB Individually Boxed				

#### MS+1890

#### Series MS® Deadlock/Deadlatch

MODELS & FINISHES	313, 335, 628
MS+1890 Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset	\$243
MS+1891 Radius faceplate, 31/32", 1-1/8", or 1-1/2" backset	\$243
MS+1891W Radius faceplate with weatherstrip, 31/32", 1-1/8", or 1-1/2" backset	\$253
MS+1892 Bevel faceplate, any handing, 31/32", 1-1/8", or 1-1/2" backset	\$243
SPECIAL MODELS	
MS+1890 Flat, radius, or bevel faceplate, complete with flat / center hung 4" or 4-1/2" strike plate	\$255
MS+1893-XX-IB Without faceplate, without strike plate	\$187

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	FACEPLATE	BACKSET	STRIKE SHAPE/LIP LENGTH	HANDING	FINISH	
MS+189		-3	02	6	-628	
	0 Flat	<b>2</b> 31/32"	01 Flat/Standard Jamb	5 LH or RHR	313 Dark Bronze Anodized	
	1 Radius	<b>3</b> 1-1/8"	02 Radius/Standard Stile	6 RH or LHR	335 Black Anodized	
	1W Radius with weatherstrip	<b>4</b> 1-1/2"	17 Flat/Center Hung 4" Jamb		628 Clear Anodized	
	2 Bevel		21 Flat/Center Hung 4-1/2" Jamb			
	3 Without faceplace, without strike plate					

For door thickness other than 1-3/4", please contact factory.



#### MS1950, MS1950-X5X



#### Series MS® Deadlock

MODELS	313, 335, 628
MS1950 Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	\$128
MS1951 Radius faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	\$128
MS1951W Radius faceplate with weatherstrip, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	\$133
MS1952 Bevel faceplate, any handing,31/32", 1-1/8", or 1-1/2" backset, without strike plate	\$128
SPECIAL MODEL	
MS1953S-XXX-IB Without faceplate, without strike plate	\$120

Schoolhouse function for above deadlocks add\$36. Please contact factory for more information.

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH	
MS195	0			0	-628	
	0 Flat	<b>2</b> 31/32"	1 Straight bolt	0 Non-Handed*	313 Dark Bronze Anodized	
	1 Radius	<b>3</b> 1-1/8"	5 Hookbolt	5 LH or RHR	335 Black Anodized	
	1W Radius with weatherstrip	<b>4</b> 1-1/2"		6 RH or LHR	628 Clear Anodized	
	2 Bevel					
	3 Without faceplace, without strike plate					

 $\hbox{^*Any flat or radius face plate, except Schoolhouse. Select handing for bevel face plate only.}$ 

## Dual Force® Interconnected Deadbolt/Deadlatch for Aluminum Doors (2190); for Wood or Hollow Metal (2290)



		STANDARD TRIM SET		ELECT TRIM		LOW PR TRII		
	MODELS & TRIM SETS	10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32	
~	2190, 2290 Deadbolt/Deadlatch with standard lever (01, 02, 03), complete with strike plate	\$615	\$695	\$775	\$855	\$540	\$620	
 	2190 Deadbolt/Deadlatch with standard lever (01, 02, 03), complete with flat/center hung 4" or 4-1/2" strike plate	\$630	\$710	\$790	\$870	\$555	\$635	
	<b>2190, 2290</b> Deadbolt/Deadlatch with standard lever (01, 02, 03), without strike plate	\$590	\$670	\$750	\$830	\$515	\$595	
	2190, 2290 Deadbolt/Deadlatch with designer lever series (MD through MW), complete with strike plate	\$660	\$740	\$820	\$900	\$585	\$665	
У Ш У Ш	<b>2190</b> Deadbolt/Deadlatch with with designer lever series (MD through MW), complete with flat/center hung 4" or 4-1/2" strike plate	\$675	\$755	\$835	\$915	\$600	\$680	
	2190, 2290 Deadbolt/Deadlatch with designer lever series (MD through MW), without strike plate	\$635	\$715	\$795	\$875	\$560	\$640	
	MODELS & FINISHES 313, 335, 62							
	2190, 2290 Boxed Lock Less lever trim, with adjustable faceplate and choice of	190, 2290 Boxed Lock Less lever trim, with adjustable faceplate and choice of standard or radius strike \$290						
	<b>EK-2190</b> Electrification Kit for 2190, 2290; 12/24 VAC/VDC (not comp	oatible with low p	rofile trim)				\$169	

HOW TO ORDER Specify quantity and the following information. Order related products separately.									
PRODUCT NO.	BACKSET	STRIKE	FACEPLATE FINISH	TRIM*	HANDLE DESIGNATION		HANDLE DESIGNATION		TRIM AND HANDLE FINISH
2190	-3				01		01		32D
	3 1-1/8"	/8" <b>0</b> None <b>1</b> Clear Anodized 628 <b>0</b> None <b>00</b> No Handle		03 Bright Brass (US3)					
	<b>4</b> 1-1/2"	1 Standard Flat	2 Dark Bronze Anodized 313	1 With Trim Set*	STANDARD SERIES:		STANDARD SERIES: 04 Satin E		<b>04</b> Satin Brass (US4)
		2 Radius Strike	3 Black Anodized 335	2 With Electrified Trim Set*	01 Curve		01 Curve 10B Dark B		10B Dark Bronze
		3 Flat/Center Hung 4"		3 Low Profile Trim	<b>02</b> Ro	ound			32 Bright Stainless (US32)
		4 Flat/Center Hung 4-1/2"			<b>03</b> Sc	quare			32D Satin Stainless (US32D)
					DESIGNER SERIES:				
					MD MG MJ MV (Handed)				
					ME	MI	MN (Handed)	MW	-

\*Trim options 1 and 2 are suitable for outswing doors only

HOW TO ORDER Specify quantity and the following information. Order related products separately.									
PRODUCT NO.	BACKSET	STRIKE	FACEPLATE FINISH	TRIM*		HANDLE DESIGNATION		TRIM AND HANDLE FINISH	
2290	-3				01		01		32D
	3 1-1/8"	<b>0</b> None	<b>0</b> US to match trim finish	0 None	00 No	o Handle			03 Bright Brass (US3)
	<b>4</b> 1-1/2"	1 Standard Flat	1 Clear Anodized 628	1 With Trim Set*	STANDARD SERIES:		STANDARD SERIES: 04 Satin		<b>04</b> Satin Brass (US4)
			2 Dark Bronze Anodized 313	2 With Electrified Trim Set*	01 Curve		01 Curve 10B Dark		10B Dark Bronze
			3 Black Anodized 335	3 Low Profile Trim	<b>02</b> Ro	ound			32 Bright Stainless (US32)
					<b>03</b> Sc	quare			32D Satin Stainless (US32D)
					DESIGNER SERIES:				
					MD MG MJ MV (Handed)				
					ME	MI	MN (Handed)	MW	
							*Trim opti	ons 1 and 2 are su	iitable for outswing doors only.





## Heavy Duty Deadbolt

MODEL & FINISHES	121, 626	605, 625
2331 Deadbolt, 1-3/4" backset, complete with strike	\$306	\$336

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO. FINISH					
2331	-626				
	121 To Match 313 Dark Bronze Anodized				
	<b>605</b> Bright Brass				
	625 Bright Chrome				
	<b>626</b> Satin Chrome				

#### 4070





MODELS & FINISHES	313, 335, 628
4070 Flat faceplate, 7/8", 31/32", or 1-1/8" backset, without strike plate	\$169
4071 Radius faceplate, 7/8", 31/32", or 1-1/8" backset, without strike plate	\$169
<b>4072</b> Bevel faceplate, any handing, 7/8", 31/32", or 1-1/8" backset, without strike plate	\$169
SPECIAL MODEL	
4073-XX-IB Without faceplate, without strike plate	\$159

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	FACEPLATE	BACKSET	HANDING	FINISH			
407		-2	6	-628			
	0 Flat	<b>1</b> 7/8"	0 Non-Handed*	313 Dark Bronze Anodized			
		<b>2</b> 31/32"	5 LH or RHR	335 Black Anodized			
		3 1-1/8"	6 RH or LHR	628 Clear Anodized			
	3 Without faceplace, without strike plate						

<sup>\*</sup>Any flat or radius faceplate. Select handing for bevel faceplate only.

#### 5017




#### Wood Door Deadlock/Deadlatch

MODELS & FINISH	630
5017-00 Standard stainless steel deadlock	\$61
5017-02 Self-latching deadlock/deadlatch	\$61

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO. LATCH CONFIGURATION						
5017	-00					
00 Standard						
	02 Self Latching					






## Wood Door Deadlock for Sliding Doors

MODELS	119, 626
<b>5500-20</b> Lockset, strike, and trim included for 1-1/4", sliding wood doors	\$130

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	DOOR THICKNESS	FINISH				
5500	-20	-626				
	<b>20</b> 1-1/4" Thick	<b>626</b> Satin Chrome				
		119 to Match 335 Black Anodized				

#### **DEADLATCHES**

#### 4300



#### Steel Hawk® Electrified Deadlatch (eLatch)

MODELS & FINISHES	313, 335, 628
<b>4300</b> Electrified deadlatch 31/32", 1-1/8", or 1-1/2" backset	\$423
<b>4300M</b> Monitored option, 31/32", 1-1/8", or 1-1/2" backset	\$483
SPECIAL MODELS	313, 335, 628
<b>4300</b> Electrified deadlatch complete with flat / center hung 4" or 4-1/2" strike plate	\$443
4300M Electrified deadlatch with monitored option, complete with flat / center hung 4" or 4-1/2" strike plate	\$503

HOW TO ORDER Specify quantity and the following information. Order related products separately							
PRODUCT NO.	BACKSET	MONITORING	STRIKE	STIRKE SHAPE/LIP LENGTH	FACEPLATE FINISH		
4300	-3	М	-2	01	-628		
	<b>2</b> 31/32"	<b>0</b> None	1 Surface Mount (4304)	01 Flat/Standard Jamb	313 Dark Bronze Anodized		
	3 1-1/8"	M Monitored	2 Mortised (4901) 4-5/8"	02 Radius/Standard Stiles**	335 Black Anodized		
	<b>4</b> 1-1/2"			17 Flat/Center Hung 4" Jamb**	628 Clear Anodized		
				21 Flat/Center Hung 4-1/2" Jamb**			

 $\ensuremath{^{**}}$  See ACCESSORIES for available 4901 strike options.


#### RITE Pack®

MODELS	313, 628
4300-20 31/32" backset, flat and radius, 313 and 628 finish faceplates, surface mount or mortise strike	\$433
4300-30 1-1/8" backset, flat and radius, 313 and 628 finish faceplates, surface mount or mortise strike	\$433

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	BACKSET	MONITORING	STRIKE	RITE PACK			
4300	-3	0		RP			
	<b>2</b> 31/32"	<b>0</b> None	1 Surface Mount (4304)				
	<b>3</b> 1-1/8"		2 Mortised (4901) 4-5/8"				

#### 4510

## Standard Duty Deadlatch



MODELS & FINISHES	313, 335, 628
<b>4510</b> Flat faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$83
4511 Radius faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$83
4511W Radius faceplate with weatherstrip, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$88
<b>4512</b> Bevel faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$83
SPECIAL MODELS	
<b>4510</b> Flat, radius or bevel faceplate complete with flat / center hung 4" or 4-1/2" strike plate	\$103
<b>4511W</b> Radius faceplate with weatherstrip complete with flat / center hung 4" or 4-1/2" strike plate	\$108
<b>4510</b> With faceplate, without strike plate	\$67
<b>4511W</b> Radius faceplate with weatherstrip, without strike plate	\$72
4513-XX-IB Without faceplate, without strike plate	\$59

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH	
451		-3	6	-2	01	-628	
	<b>0</b> Flat	<b>1</b> 7/8"	5 LH or RHR	1 Mortised (4901) 4-5/8"	01 Flat/Standard Jamb	313 Dark Bronze Anodized	
	1 Radius	<b>2</b> 31/32"	6 RH or LHR	2 Mortised (4902) 2-5/8"	02 Radius/Standard Stiles	335 Black Anodized	
	1W Radius with weatherstrip	3 1-1/8"			17 Flat/Center Hung 4" Jamb	628 Clear Anodized	
	2 Bevel	<b>4</b> 1-1/2"			21 Flat/Center Hung 4-1/2" Jamb		
	3 Without faceplate, without strike plate						

#### Standard Duty Deadlatch

MODELS &	FINISHES					313, 335, 628
4530 Flat facepla	\$101					
4531 Radius face	\$101					
<b>4532</b> Bevel facep	olate, 7/8", 31/32",	or 1-1/8" backse	et, complete with	strike plate		\$101
SPECIAL M	ODELS					
4530 Flat, radius	or bevel faceplate	e complete with	flat / center hunç	g 4" or 4-1/2" strike plate		\$121
4530 With facepl	ate without strike	plate				\$85
4533-XX-IB With	out faceplate, with	nout strike plate	<u>,</u>			\$77
HOW TO OI	RDER <b>Speci</b>	fy quantity	and the follo	owing information. Or	der related products separa	itely.
PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
453		-3	6		01	-628
	0 Flat	<b>1</b> 7/8"	5 LH or RHR	1 Mortised (4901) 4-5/8"	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	335 Black Anodized					
	628 Clear Anodized					


#### 4781



#### Two-Point Deadlatch with Paddle

MODEL & FINISHES	313, 335, 628	US26D
4781 Paddle includes dogging feature	\$322	\$432
4781T Paddle with top rod only (less bottom rod)	\$292	\$402

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	OPERATION PADDLE FINISH						
4781		-021	-628				
	T Top rod only	021 Push to LEFT	313 Dark Bronze Anodized	US26D Satin Chrome			
	- Standard rod	<b>041</b> Push to RIGHT	335 Black Anodized				
			628 Clear Anodized				




## Heavy Duty Deadlatch

MODELS & FINISHES	313, 335, 628
<b>4900</b> Flat and radius faceplates, 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$113
4911W Radius with weatherseal faceplate, 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$118
SPECIAL MODELS	
<b>4900</b> Flat and radius faceplates complete with flat / center hung 4" or 4-1/2" strike plate	\$133
<b>4911W</b> Radius with weatherstrip faceplate complete with flat / center hung 4" or 4-1/2" strike plate	\$138
<b>4900</b> Flat and radius faceplate, without strike plate	\$97
<b>4911W</b> Radius with weatherstrip faceplate, without strike plate	\$102
4913-XX-IB Without faceplate, without strike plate	\$89

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH	
49	00	-3	5	-2	01	-628	
	<b>00</b> Standard	<b>2</b> 31/32"	5 LH or RHR	1 Mortised (4901) 4-5/8"	01 Flat/Standard Jamb	313 Dark Bronze Anodized	
	11W Radius with Weatherstrip	3 1-1/8"	6 RH or LHR	2 Mortised (4902) 2-5/8"	02 Radius/Standard Stile	335 Black Anodized	
	13 Without faceplate,	<b>4</b> 1-1/2"			17 Flat/Center Hung 4" Jamb	628 Clear Anodized	
	without strike plate				21 Flat/Center Hung 4-1/2" Jamb		

#### 4920AN



## Heavy Duty Deadlatch (ANSI Size)

MODELS & FINISHES	313, 335, 628
4920AN Flat faceplate, 1-1/2" or 2-3/4" backset, complete with 4506 strike plate	\$138
SPECIAL MODELS	
4920AN Flat faceplate, without strike plate	\$102
4923AN-XX-IB Without faceplate, without strike plate	\$80

HOW TO ORDER Specify quantity and the following information. Order related products separately.								
PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE	FACEPLATE FINISH			
4920AN	OAN	4	6	-602	-313			
	OAN Flat	<b>4</b> 1-1/2"	5 LH or RHR	000 Less Strike	313 Dark Bronze Anodized			
	<b>3AN</b> Without faceplate, without strike plate	<b>5</b> 2-3/4"	6 RH or LHR	<b>602</b> 4506 Strike	335 Black Anodized			
					628 Clear Anodized			





#### Cylinder-Operated Flushbolt

MODELS & CYLINDER HEIGHT	STANDARD 12" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 12" (SPECIFY)
<b>1870</b> Flat faceplate, 313, 335, or 628 finish	\$117	\$167
<b>1871</b> Radius faceplate, 313, 335, or 628 finish	\$117	\$167
<b>1871W</b> Radius faceplate with weatherstrip, 313, 335, or 628 finish	\$122	\$172
<b>1872</b> Bevel faceplate, 313, 335, or 628 finish	\$117	\$167

For cylinder height greater than 12" up to maximum cylinder height 65" please contact factory.

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	FACEPLATE SHAPE BACKSET HANDING* FINISH					
187	0		Ο	-628		
	0 Flat	<b>2</b> 31/32"	<b>0</b> Non-Handed*	313 Dark Bronze Anodized		
	1 Radius	3 1-1/8"	5 LH or RHR	335 Black Anodized		
	1W Radius with weatherstrip		6 RH or LHR	628 Clear Anodized		
	2 Bevel					

<sup>\*</sup>Any flat or radius faceplate. Select handing for bevel faceplate only.

#### 1870HM



#### Cylinder-Operated Flushbolt

MODEL & CYLINDER HEIGHT	STANDARD 13-1/2" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 13-1/2" (SPECIFY)
<b>1870HM</b> For hollow metal, 313, 335, or 628 finish, 1-1/4" backset	\$157	\$207

For cylinder height greater than 13-1/2" up to maximum cylinder height 65" please contact factory.

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	FACEPLATE SHAPE FINISH		
187	OHM -628		
	OHM Flat	313 Dark Bronze Anodized	
	335 Black Anodized		
		628 Clear Anodized	

#### 1877



#### Cylinder-Operated Flushbolt

MODEL & CYLINDER HEIGHT	STANDARD 13-1/2" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 13-1/2" (SPECIFY)
<b>1877</b> For wood, 313 or 628 finish, 1-1/4" backset	\$195	\$245
<b>1877</b> For wood, 605 or 626 finish, 1-1/4" backset	\$275	\$325


For cylinder height greater than 13-1/2" up to maximum cylinder height 57-1/2" please contact factory.

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO. FINISH			
1877	-628		
	313 Dark Bronze Anodized	<b>626</b> Satin Chrome	
	605 Bright Brass 628 Clear Anodized		



#### Canada

#### MS1880, MS1881 Two-Point Flushbolts



MODELS & FINISHES	119, 121, 682
MS1880 Flushbolt with hourglass shaped turn	\$149
MS1881 Flushbolt with teardrop shaped turn	\$149
KITTED OPTION	
MODEL	
TDK-1880 Tall door kit for doors over 84", up to 144" maximum	\$28

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	TURN SHAPE CYLINDER HEIGHT* FINISH				
MS188	0	-01	-682		
MS188	0 Hourglass	<b>01</b> 31" to 35"	119 to Match 335 Black Anodized		
	1 Teardrop	<b>02</b> 35-1/16" to 39"	121 to Match 313 Dark Bronze Anodized		
<b>03</b> 39-1/16" 43" <b>682</b> Satin Chrome					
		<b>04</b> 43-1/16" to 47"			
		<b>05</b> 47-1/16" to 51"			

\*Distance from floor to cylinder centerline.

#### MS2180

#### Auto-Release Two-Point Flushbolt



MODELS & FINISHES	119, 121, 130
MS2180 Hourglass shaped turn, 7', 8', 9', 10' door height	\$224
MS2181 Teardrop shaped turn, 7', 8', 9', 10' door height	\$224
MS2182 Flush operator, 7', 8', 9', 10' door height	\$224

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	TURN SHAPE	DOOR HEIGHT FINISH TO MATCH	
MS218	Ο	-07	-130
	0 Hourglass	<b>07</b> Up to 7' Door	119 to Match 335 Black Anodized
	1 Teardrop	08 Up to 8' Door	121 to Match 313 Dark Bronze Anodized
	2 Flush Operator	<b>09</b> Up to 9' Door	130 to Match 628 Clear Anodized
		<b>10</b> Up to 10' Door	



#### Flush Locksets (Including Deadlock)


MODELS & FINISHES	STANDARD LOCK FACE	STAINLESS STEEL LOCK FACE
4189-IB Flush lockset, 119, 121, or 130 finish, individually boxed	\$98	\$108
4190-IB Flush lockset, 119, 121, or 130 finish, individually boxed with cylinder	\$128	\$138
4195-IB Dummy flushset, 119, 121, or 130 finish, individually boxed	\$68	\$78
SPECIAL MODEL		
4189-00 Flush operator without lock	\$78	
4190-00 Flush operator without lock	\$108	

#### KITTED OPTIONS

MODELS	GRAY	
<b>4413-01, 4413-02</b> Grip pull for use with 4189, 4190	\$23	

HOW TO ORDER Specify quantity and the following information. Order related products separately.								
PRODUCT NO.	LOCKSET EXTERIOR	LOCK FACE	STILE THICKNESS	FINISH	KEYING OPTIONS*	PACKAGING		
41	90	-09	-01	-130	-O1	ΙB		
	89 Without Cylinder	00 Without Lock	<b>01</b> 1" to 1-3/8"	119 To match 335 Black Anodized	00 Without Cylinder	IB Individually Boxed		
	90 With Cylinder	<b>09</b> Radius	<b>02</b> 1-7/16" to 1-5/8"	121 To match 313 Dark Bronze Anodized	01 Keyed Different			
	95 Dummy	09S Radius Stainless Steel	<b>03</b> 1-11/16" to 2"	130 To match 628 Clear Anodized	02 Keyed alike in pairs			
		10 Square						
		10S Square Stainless Steel						

<sup>\*</sup>Keyed alike 50 are available by special order in quantity of 50 locksets only. Please contact factory for ordering information.



#### Flush Locksets (Including Deadlock)

MODELS & FINISH	STANDARD LOCK FACE	STAINLESS STEEL LOCK FACE
4430-IB ABS flush lockset, individually boxed	\$68	\$78
4431-IB ABS flush lockset with cylinder, individually boxed	\$103	\$113
4432-IB ABS dummy flushset, individually boxed	\$33	\$43
SPECIAL MODEL		
4430-00 ABS operator without lock	\$48	
4431-00 ABS operator without lock	\$83	

#### KITTED OPTIONS

MODELS & FINISHES	335	
<b>4453-02-335-IB</b> Grip pull for use with 4430, 4431	\$36	

HOW TO ORDER Specify quantity and the following information. Order related products separately.								
PRODUCT NO.	LOCKSET EXTERIOR	LOCK FACE	STILE THICKNESS	KEYING OPTIONS*	PACKAGING			
44	31	-09	-05	-01	-IB			
	30 Without Cylinder	00 Without Lock	<b>00</b> 1" to 1-5/16"	00 Without Cylinder	IB Individually Boxed			
	31 With Cylinder	<b>09</b> Radius	<b>05</b> 1-3/8" to 1-5/8"	01 Keyed Different				
	32 Dummy	09S Radius Stainless Steel	<b>08</b> 1-3/4" to 2"	02 Keyed alike in pairs				
		10 Square						
		10S Square Stainless Steel						


<sup>\*</sup>Keyed alike 50 are available by special order in quantity of 50 locksets only. Please contact factory for ordering information.

#### **EXIT DEVICES**

Alarm option cannot be combined with any other Device Option or Monitoring Option. Split finishes (faceplate/pushbar) are not available. Matching end cap option available for US finishes only. Please contact factory for specific ordering questions.

#### 8099

## Dummy Pushbar



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
<b>8099-00</b> Dummy pushbar without mechanism, for doors NOT requiring an exit device.	\$230	\$485	\$545
<b>8099-M0</b> Active dummy bar without latching mechanism, without monitoring switches.	\$300		
<b>8099-M1</b> Active dummy bar with monitoring switch but without latching mechanism. May be wired normally open or normally closed to operate maglock, alarm or similar.	\$355	\$610	\$670
<b>8099-M2</b> Active dummy bar with two monitoring switches but without latching mechanism. May be wired normally open or normally closed to operate maglock, alarm or similar.	\$415	\$670	\$730

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	MONITOR	NITOR DOOR TYPE PUSHBAR FINISH		WIDTH	US FINISH		
8099	-M1	-3	0	36	-US32		
	00 Inactive Dummy Bar	3 Aluminum	<b>0</b> US Finish	<b>30</b> 30 inches	US3 Bright Brass		
	MO Active Dummy Bar, no monitoring switches	4 Wood or hollow metal	1 Clear Anodized 628	<b>36</b> 36 inches	US4 Satin Brass		
	M1 Active Dummy Bar, one monitoring switch		2 Dark Bronze Anodized 313	<b>42</b> 42 inches	US32 Bright Stainless		
	M2 Active Dummy Bar, two monitoring switches		3 Black Anodized 335	<b>48</b> 48 inches	US32D Satin Stainless		

ASSA ABLOY

#### Surface Vertical Rod Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8100 Surface vertical rod exit device for wood and hollow metal	\$910	\$1,210	\$1,370
8100T Top rod only (less bottom rod) SVR exit device	\$835	\$1,135	\$1,295
3100 Fire-rated surface vertical rod exit device for wood and hollow metal	\$1,160	\$1,460	\$1,620
3100T Fire-rated top rod only (less bottom rod) for metal doors	\$1,085	\$1,385	\$1,545
<b>3100W</b> Fire-rated top rod only (less bottom rod) for wood doors	\$1,085	\$1,385	\$1,545

#### KITTED OPTIONS


MODELS & FINISHES	313, 335, 628	US32D	US32
<b>3055</b> Tall door kit for doors up to 10' tall, for use with 3100	\$130	\$165	\$195

HOW TO ORDER Specify quantity and the following information. Order related products separately.								
MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH	
81	00		SE	M2	-30	-US32D	MEC	
31 Fire Rated	00 US Finish	T Top Rod only	LR Electric Latch Retraction	M Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching	
81 Life-Safety	11 Clear Anodized 628	W Top Rod only - Wood doors	SE Silent Electrification Latch Retraction	M2 Dual Switch	<b>36</b> 36 inches	<b>US4</b> Satin Brass	End Caps	
	22 Dark Bronze Anodized 313	- Standard rod	C Cylinder Dogging (non-fire rated devices ONLY)	(BLANK) No Monitor	<b>42</b> 42 inches	US32 Bright Stainless	1	
	33 Black Anodized 335		ED Electric Dogging		<b>48</b> 48 inches	US32D Satin Stainless		
			(BLANK) No Option		AXXB Alarmed Exit Device wh is door opening width	ere XX		

 $<sup>^* \</sup> Please \ note \ that \ 30" \ exit \ devices \ cannot \ accommodate \ monitoring \ options, \ \underline{except} \ when \ ordered \ in \ conjunction \ with \ the \ SE \ option.$ 

#### 8200

#### Narrow Stile Surface Vertical Rod Exit Device




MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8200 Narrow stile surface vertical rod exit device	\$855	\$1,155	\$1,315
8200T Top rod only (less bottom rod) SVR exit device	\$780	\$1,080	\$1,240
SPECIAL MODELS	313, 335, 628	US4, US32D	US3, US32
8200-99 SVR exit device, less rods	\$765	\$1,065	\$1,225
KITTED OPTIONS			

MODELS & FINISHES	313, 335, 628	US32D	US32
<b>8055-01</b> Tall door kit for doors up to 10' tall, for use with 8100, 8200	\$120	\$155	\$185

HOW TO ORDER Specify quantity and the following information. Order related products separately.								
MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH	
82	00		ED	M2	-36	-US3		
82 Life-Safety	00 US Finish	T Top Rod only	LR Electric Latch Retraction	M Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching End Caps	
	11 Clear Anodized 628	- Standard rod	SE Silent Electrification Latch Retraction	M2 Dual Switch	<b>36</b> 36 inches	<b>US4</b> Satin Brass		
	22 Dark Bronze Anodized 313		<b>C</b> Cylinder Dogging	(BLANK) No Option	<b>42</b> 42 inches	US32 Bright Stainless		
	33 Black Anodized 335		ED Electric Dogging		<b>48</b> 48 inches	US32D Satin Stainless		
			(BLANK) No Option		AXXB Alarmed Exit Device whe is door opening width	re XX		



#### Mortise Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8300 Mortise exit device for wood and hollow metal	\$705	\$1,005	\$1,105
3300 Fire-rated mortise exit device for wood and hollow metal	\$1,005	\$1,305	\$1,405

#### KITTED OPTIONS


MODELS & FINISH	US32D
4009-01 Open back strike for 1-3/4" thick doors	\$135

For complete list of kitted options for mortise exit devices, please refer to 8400 Narrow Stile Mortise Exit Devices on next page.

HOW TO ORDER Specify quantity and the following information. Order related products separately.									
MODEL	FACEPLATE FINISH	FACE SHAPE	DEVICE OPTIONS	MONITORING OPTION	DOOR HANDING	PUSHBAR FINISH	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
83	3	0	ED	М		3	A36B		
<b>33</b> Fire Rated	<b>0</b> US Finish	0 Flat (3300 only)	LR Electric Latch Retraction	<b>M</b> Single Switch	<b>7</b> RHR	<b>0</b> US Finish	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching End Caps
83 Life-Safety	1 Clear Anodized 628	2 Bevel (8300 only)	SE Silent Electrification Latch Retraction	M2 Dual Switch	8 LHR	1 Clear Anodized 628	<b>36</b> 36 inches	<b>US4</b> Satin Brass	
	2 Dark Bronze Anodized 313		C Cylinder Dogging (non-fire rated devices ONLY)	(BLANK) No Monitor		2 Dark Bronze Anodized 313	<b>42</b> 42 inches	US32 Bright Stainless	
	3 Black Anodized 335		ED Electric Dogging			3 Black Anodized 335	<b>48</b> 48 inches	US32D Satin Stainless	
			- Without Options				AXXB Alarmed Exit Device w XX is door opening wi		

 $<sup>{}^*\</sup>text{Please note that 30"} \ \text{exit devices cannot accommodate monitoring options,} \ \underline{\text{except}} \ \text{when ordered in conjunction with the SE option.}$ 

#### Narrow Stile Mortise Exit Device



MODEL & FINISHES	313, 335, 628	US4, US32D	US3, US32
8400 Narrow stile mortise exit device	\$630	\$930	\$1,030

Please contact factory for information on the 8475 Midpanel Mortise Exit Device. Pricing is standard pricing plus unique door cutting charge for custom cut length.

#### KITTED OPTIONS

MODELS	US32D
<b>8455-01</b> Long face strike for covering MS strike prep	\$98
8460-17-630 Long lip strike for jambs that project outward 2-1/4" beyond the centerline of door	\$75
<b>91-0995-02-IP</b> 2" thick door kit for use with 8300, 8400	\$17
<b>91-0995-03-IP</b> 2-1/4" thick door kit for use with 8300, 8400	\$17
<b>91-0995-04-IP</b> 2-1/2" thick door kit for use with 8300, 8400	\$20
<b>91-0995-05-IP</b> 2-3/4" thick door kit for use with 8300, 8400	\$25
91-0995-06-IP 3" thick door kit for use with 8300, 8400	\$25
<b>91-0325-01</b> Thermal door kit, 1/4" cladding, for use with 8400	\$80
<b>91-0325-02</b> Thermal door kit, 1/2" cladding, for use with 8400	\$145

HOW TO ORDER Specify quantity and the following information. Order related products separately.										
MODEL	FACEPLATE FINISH	FACE SHAPE	DEVICE OPTIONS	MONITORING OPTION	BACKSET	DOOR HANDING	PUSHBAR FINISH	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
84		4	SE	M2	-4			42		
84 Life- Safety	<b>0</b> US Finish	O Flat, Radius, Bevel	LR Electric Latch Retraction	<b>M</b> Switch	<b>2</b> 31/32"	<b>7</b> RHR	<b>0</b> US Finish	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching End Caps
	1 Clear Anodized 628	4 Radius w/ Weatherstrip*	SE Silent Electrification Latch Retraction	M2 Dual Switch	3 1-1/8"	8 LHR	1 Clear Anodized 628	<b>36</b> 36 inches	US4 Satin Brass	
	2 Dark Bronze Anodized 313		C Cylinder Dogging	(BLANK) No Monitor	<b>4</b> 1-1/2"		2 Dark Bronze Anodized 313	<b>42</b> 42 inches	US32 Bright Stainless	
	3 Black Anodized 335		ED Electric Dogging				3 Black Anodized 335	<b>48</b> 48 inches	US32D Satin Stainless	
			- Without Options					AXXB Alarmed Exit Device v XX is door opening w		

<sup>\*</sup>Radius with weatherstrip faceplate is not available in US finishes.



\$58

#### 3600, 8500

#### Metal Door Concealed Vertical Rod Exit Device

3655~ Tall door kit for doors taller than 66" above bar height, up to 10'



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8500 Concealed vertical rod exit device for hollow metal	\$665	\$965	\$1,065
8500T Top rod only (less bottom rod) CVR exit device	\$590	\$890	\$990
3600 Fire-rated concealed vertical rod exit device for hollow metal	\$1,085	\$1,385	\$1,485
3600T Fire-rated top rod only (less bottom rod) CVR exit device	\$1,010	\$1,310	\$1,410
KITTED OPTIONS			
MODEL			

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
85	00		ED	М	-36	-US32D	
<b>36</b> Fire Rated	<b>00</b> US Finish	T Top Rod only	LR Electric Latch Retraction	M Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching End Caps
<b>85</b> Life-Safety	11 Clear Anodized 628	- Standard rod	SE Silent Electrification Latch Retraction	M2 Dual Switch	<b>36</b> 36 inches	US4 Satin Brass	
	22 Dark Bronze Anodized 313		C Cylinder Dogging (non-fire rated devices only)	(BLANK) No Monitor	<b>42</b> 42 inches	US32 Bright Stainless	
	33 Black Anodized 335		ED Electric Dogging		<b>48</b> 48 inches	US32D Satin Stainless	
			(BLANK) No Option		AXXB Alarmed Exit Device w XX is door opening wi		

<sup>\*</sup>Please note that 30" exit devices cannot accommodate monitoring options,  $\underline{\text{except}}$  when ordered in conjunction with the SE option.

#### 8600

#### Narrow Stile Concealed Vertical Rod Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8600 Narrow stile concealed vertical rod exit device	\$620	\$920	\$1,020
8600T Top rod only (less bottom rod) CVR exit device	\$545	\$845	\$945
SPECIAL MODELS	313, 335, 628	US4, US32D	US3, US32
8600-99 CVR exit device, less rods	\$535	\$835	\$935

Please contact factory for information on the 8675 Midpanel CVR Exit Device. Pricing is standard pricing plus unique door cutting charge for custom cut length.

#### KITTED OPTIONS

MODEL

8655 Tall door kit for doors up to 10' for use with 8500, 8600

\$53

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH
86	22		SE	M2	-36		
86 Life-Safety	00 US Finish	T Top Rod only	LR Electric Latch Retraction	M Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching End Caps
	11 Clear Anodized 628	- Standard rod	SE Silent Electrification Latch Retraction	M2 Dual Switch	<b>36</b> 36 inches	<b>US4</b> Satin Brass	
	22 Dark Bronze Anodized 313		C Cylinder Dogging	(BLANK) No Monitor	<b>42</b> 42 inches	US32 Bright Stainless	
	33 Black Anodized 335		ED Electric Dogging		<b>48</b> 48 inches	US32D Satin Stainless	
			(BLANK) No Option		AXXB Alarmed Exit Device w XX is door opening wi		



#### Rim Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8700 Rim exit device for wood and hollow metal	\$455	\$735	\$815
3700 Fire-rated rim exit device for wood and hollow metal	\$755	\$1,015	\$1,075

#### KITTED OPTIONS

MODELS	N/A
<b>3889-08</b> Mullion for doors up to 8' for use with 8700, 3700	\$525

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH	VOLTAGE (For EL Option Only)
37	00	EL	M1	-36	-US3	MEC	-12
37 Fire Rated	00 US Finish	EL Electric Latch Retraction (indicate 12V/24V)	<b>M</b> Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching End Caps	12 Volts
87 Life-Safety	11 Clear Anodized 628	SE Silent Electrification Latch Retraction	M2 Dual Switch	<b>36</b> 36 inches	US4 Satin Brass		24 Volts
	22 Dark Bronze Anodized 313	<b>C</b> Cylinder Dogging	(BLANK) No Monitor	<b>42</b> 42 inches	US32 Bright Stainless		
	<b>33</b> Black Anodized 335	ED Electric Dogging		<b>48</b> 48 inches	US32D Satin Stainless		
		- Without Options		AXXB Alarmed Exit Device where XX is door opening width			

<sup>\*</sup>Please note that 30" exit devices cannot accommodate monitoring options,  $\underline{\text{except}}$  when ordered in conjunction with the SE option.

#### 8800

#### Narrow Stile Rim Exit Device



MODEL & FINISHES	313, 335, 628	US4, US32D	US3, US32
8800 Narrow stile rim exit device	\$435	\$715	\$795


#### KITTED OPTIONS

MODELS	313, 628
3890-08 Aluminum mullion for doors up to 8' for use with 8800	\$575
3890-10 Aluminum mullion for doors up to 10' for use with 8800	\$600

HOW TO C	HOW TO ORDER Specify quantity and the following information. Order related products separately.							
MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH	VOLTAGE (For EL Option Only)	
88	01		M2	-36			-12	
88 Life-Safety	00 US Finish	EL Electric Latch Retraction (indicate 12V/24V)	<b>M</b> Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching End Caps	12 Volts	
	11 Clear Anodized 628	SE Silent Electrification Latch Retraction	M2 Dual Switch	<b>36</b> 36 inches	<b>US4</b> Satin Brass		24 Volts	
	22 Dark Bronze Anodized 313	C Cylinder Dogging	(BLANK) No Monitor	<b>42</b> 42 inches	US32 Bright Stainless			
	33 Black Anodized 335	ED Electric Dogging		<b>48</b> 48 inches	US32D Satin Stainless			
		- Without Options		AXXB Alarmed Exit Device where XX is door opening width				



#### Wood Door Surface Concealed Vertical Rod Exit Device



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8900 Surface concealed vertical rod exit device for wood	\$735	\$1,035	\$1,135
<b>3900</b> Fire-rated surface concealed vertical rod for wood	\$1,155	\$1,455	\$1,555

#### KITTED OPTIONS

MODEL	
8955-01 Tall door kit for doors up to 10' for use with 8900	\$55
3955-01 Tall door kit for doors up to 10' for use with 3900	\$55

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH On pair of doors, specify HALF of the total exit opening	US FINISH	END CAPS OPTION FOR US FINISH	
89	00	LR	M2	-36	-US32		
39 Fire Rated	00 US Finish	LR Electric Latch Retraction	M Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching End Caps	
89 Life-Safety	11 Clear Anodized 628	SE Silent Electrification Latch Retraction	M2 Dual Switch	<b>36</b> 36 inches	<b>US4</b> Satin Brass		
	22 Dark Bronze Anodized 313	C Cylinder Dogging (non-fire rated devices only)	(BLANK) No Monitor	<b>42</b> 42 inches	US32 Bright Stainless		
	33 Black Anodized 335	ED Electric Dogging		<b>48</b> 48 inches	US32D Satin Stainless		
		(BLANK) No Option		AXXB Alarmed Exit Device where XX is door opening width			

<sup>\*</sup>Please note that 30" exit devices cannot accommodate monitoring options,  $\underline{\text{except}}$  when ordered in conjunction with the SE option.

Accessories for 3000/8000 Series Exit Devices			
OPTIONS & FINISHES	N/A	US4, US32D	US3, US32
ALARM Battery-operated alarmed exit device. Alarm option cannot be combined with any other device option or monitoring options.	\$465		
C Cylinder dogging	\$50		
ED Electric dogging	\$410		
EL Electric latch retraction for use with 3700, 8700, 8800 rim exit devices only	\$355		
ELD Electric latch retraction with mechanical dogging for rim exit devices only	\$405		
LR Electric latch retraction for use with CVR, Mortise and SVR exit devices.	\$605		
MEC Matching end caps. For US finishes only, not applicable to anodized finishes		\$80	\$105
M1 Monitor/single signal switch	\$125		
M2 Monitor/dual signal switch	\$185		
SE Silent electrification motorized latch retraction	\$650		

KITTED options for 3000/8000 Series Exit Devices	5				
MODELS & FINISHES	N/A	313, 335, 628	US4, US32D	US3, US32	119, 121, 652
ALARM EXIT KIT Kit for retrofitting an alarm function to an existing Adams Rite exit device. Includes new pushbar, end caps and installati		\$590	\$815	\$875	
<b>91-0897-01</b> Single signal switch kit, retrofits to 3000/8000	\$115				
<b>91-0897-02</b> Dual signal switch kit, retrofits to 3000/8000	\$175				
26-0584-XXX-MP Sex bolts, 2 per bag, 2 kits required per exit device					\$26



# MODIFICATION OPTIONS for 3000/8000 Series exit devices Please contact factory for all product modifications. MODELS THICK DOOR For doors thicker than 1-3/4" and/or door skins plus reinforcement thicker than those specified in the Adams Rite Master Reinforcement Sheet template, for CVR and Mortise Exit Devices UNIQUE DOOR Cutting charges for non-standard custom cut lengths between 30" and 48" \$85

Please note that thick door modification options are available for 8300, 8400, and 8600 series exit devices only.

#### **NEW EX SERIES EXIT DEVICES**

#### **EX88**

#### Interlocking Rim Exit Device



MODEL & FINISHES	313, 335, 628
EX88 Interlocking rim exit device for aluminum, hollow metal or wood applications.	\$435

#### **EX89**

#### Pullman Rim Exit Device



MODEL & FINISHES	313, 335, 628
EX89 Pullman rim exit device for aluminum, hollow metal or wood applications.	\$435

#### **EX76**

#### Concealed Vertical Rod Exit Device

MODEL & FINISHES	313, 335, 628
EX76 CVR exit device for aluminum and hollow metal applications	\$620

#### **EX80**

#### Dummy Push Bar

MODEL & FINISHES	313, 335, 628
EX80 Dummy push bar for aluminum, hollow metal or wood applications. Includes two monitoring switches. Field selectable for active or inactive configuration	\$415


#### **EX Series**

OPTIONS	ADD
MONITOR Dual Signal Switch	\$185

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
MODEL LENGTH FINISHES DEVICE OPTIONS*							
EX89	-R	628					
EX88 Interlocking Rim Exit Device	R Regular (36")	313 Dark Bronze Anodized	A Alarmed				
EX89 Pullman Rim Exit Device)	M Mid-Length (42")	335 Black Anodized	M Monitoring				
EX76 CVR Exit Device	L Long (48")	628 Clear Anodized	(BLANK) standard, no options				
EX80 Dummy Push Bar							

 $<sup>^*</sup> Device\ options\ not\ applicable\ to\ Dummy\ Push\ Bar.\ Dummy\ Push\ Bar\ comes\ standard\ with\ dual\ monitoring\ switches.$ 





#### Electric Strikes

MODELS & FINISHES	313, 335, 628	626
7100 For aluminum jambs	\$184	\$209
7101 For radius aluminum stiles	\$184	
7100-XX7, 7100-XX9 Monitoring signal switches	\$284	\$309


Lip Extensions up to 3" for center-hung or non-flush doors add\$34.

HOW TO	HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.							
710	Ο	-3		Ο	-628	-00	
	0 Flat	<b>3</b> 12 Volt	1 DC Continuous or Intermittent	<b>0</b> Standard/Fail-Secure	313 Dark Bronze Anodized	<b>00</b> 1-1/16" or less	05 2"
	1 Radius	<b>4</b> 16 Volt	4 AC Intermittent	<b>5</b> Fail-Safe	335 Black Anodized	01 1-1/2"	<b>07</b> 2-1/4"
		<b>5</b> 24 Volt		7 Monitored/Fail-Safe	<b>626</b> Satin Chrome	02 1-5/8"	09 2-1/2"
		<b>3</b> 24 VOIL		9 Monitored/Fail-Secure	628 Clear Anodized	03 1-3/4"	<b>12</b> 2-7/8"

<sup>\*</sup>Fail-secure can be converted to fail-safe and vice versa. \*\*7101 available in 313, 335, 628 only. \*\*\*Lip extensions not available on 7107.

#### 7110, 7111





MODELS & FINISHES	652
7110 For wood jambs	\$219
7111 For wood jambs, long faceplate	\$219
7110-XX7, 7110-XX9 Monitoring signal switches	\$319


Lip Extensions up to 3" for center-hung or non-flush doors add\$34.

HOW TO (	HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	FACEPLATE LENGTH	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSION (Door Centerline to	
711	0	-3		Ο	-652	-00	)
	<b>0</b> 7-15/16"	<b>3</b> 12 Volt	1 DC Continuous or Intermittent	<b>0</b> Standard/Fail-Secure	<b>652</b> Satin Chrome	<b>00</b> 1-1/16" or less	<b>05</b> 2"
	<b>1</b> 10-1/4"	<b>4</b> 16 Volt	4 AC Intermittent	<b>5</b> Fail-Safe		01 1-1/2"	<b>07</b> 2-1/4"
		E 241/21		7 Monitored/Fail-Safe		02 1-5/8"	09 2-1/2"
		<b>5</b> 24 Volt		9 Monitored/Fail-Secure		03 1-3/4"	<b>12</b> 2-7/8"

<sup>\*</sup>Fail-secure can be field converted to fail-safe or vice-versa.

#### 7130, 7131






MODELS & FINISHES	313, 335, 628
7130 For aluminum jambs, pre-cut for MS lock strike plate	\$189
7131 For radius aluminum stiles, pre-cut for MS lock strike plate	\$189

Lip Extensions up to 3" for center-hung or non-flush doors add\$34.

HOW TO	HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT FACEPLATE VOLTAGE CURRENT AND DUTY FEATURES* FINISH LIP EXTENSIONS (DIN (Door Centerline to Jam							
713	0	-3		О	-313	-00	
	0 Flat	<b>3</b> 12 Volt	1 DC Continuous or Intermittent	O Standard/ Fail-Secure	313 Dark Bronze Anodized	<b>00</b> 1-1/16" or less	<b>05</b> 2"
	1 Radius	<b>4</b> 16 Volt	4 AC Intermittent	<b>5</b> Fail-Safe	335 Black Anodized	01 1-1/2"	<b>07</b> 2-1/4"
		5 24 Volt			628 Clear Anodized	02 1-5/8"	09 2-1/2"
		<b>3</b> 24 VOIT				03 1-3/4"	<b>12</b> 2-7/8"

<sup>\*</sup>Fail-secure can be field converted to fail-safe or vice-versa. \*\*Lip extensions not available on 7107.

ASSA ABLOY



#### Electric Strike


MODEL & FINISHES	313, 335, 628	626
7140 ANSI size for hollow metal and wood jambs	\$184	\$209

Lip Extensions up to 3" for center-hung or non-flush doors add \$34.

HOW TO	HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) (Door Centerline to Jamb Edge)		
7140	-3		0	-628	-0(		
	<b>3</b> 12 Volt	1 DC Continuous or Intermittent	O Standard/ Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	<b>05</b> 2"	
	<b>4</b> 16 Volt	4 AC Intermittent	<b>5</b> Fail-Safe	335 Black Anodized	50 1-3/8"	<b>07</b> 2-1/4"	
				<b>626</b> Satin Chrome	01 1-1/2"	09 2-1/2"	
	<b>5</b> 24 Volt			628 Clear Anodized	02 1-5/8"	<b>12</b> 2-7/8"	
					03 1-3/4"		

<sup>\*</sup>Fail-secure can be field converted to fail-safe or vice-versa.

#### 7160



#### Electric Strike


MODELS & FINISHES	313, 335, 628	626
7160 For aluminum jambs	\$231	\$256
7160-XX7, 7160-XX9 Monitoring signal switches	\$331	\$356

Lip Extensions up to 3" for center-hung or non-flush doors add\$34.

HOW TO ORDER Specify quantity and the following information. Order related products separately.								
PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) (Door Centerline to Jamb Edge)			
7160	-3		0	-628	-00			
	<b>3</b> 12 Volt	1 DC Continuous or Intermittent	O Standard/ Fail-Secure	313 Dark Bronze Anodized	<b>00</b> 1-1/16" or less	<b>05</b> 2"		
	<b>4</b> 16 Volt	4 AC Intermittent	<b>5</b> Fail-Safe	335 Black Anodized	01 1-1/2"	<b>07</b> 2-1/4"		
		7 Monitor/Fail-Safe	<b>626</b> Satin Chrome	02 1-5/8"	09 2-1/2"			
	<b>5</b> 24 Volt		9 Monitor/Fail-Secure	628 Clear Anodized	03 1-3/4"	<b>12</b> 2-7/8"		

<sup>\*</sup>Fail-secure can be field converted to fail-safe or vice-versa.

#### 7170



#### Electric Strike

MODELS & FINISHES	313, 335, 628	626
7170 For hollow metal and wood jambs	\$231	\$256
7170-XX7, 7170-XX9 Monitoring signal switches	\$331	\$356

Lip Extensions up to 3" for center-hung or non-flush doors add\$34.

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) Door Centerline to Jamb Edge		
7170	-3		Ο	-628	-00		
	<b>3</b> 12 Volt	1 DC Continuous or Intermittent	<b>0</b> Standard/Fail-Secure	313 Dark Bronze Anodized	<b>00</b> 1-1/16" or less	<b>05</b> 2"	
	<b>4</b> 16 Volt	4 AC Intermittent	<b>5</b> Fail-Safe	335 Black Anodized	<b>50</b> 1-3/8"	<b>07</b> 2-1/4"	
			7 Monitor/Fail-Safe	<b>626</b> Satin Chrome	<b>01</b> 1-1/2"	09 2-1/2"	
	<b>5</b> 24 Volt		9 Monitor/Fail-Secure	628 Clear Anodized	02 1-5/8"	<b>12</b> 2-7/8"	
					03 1-3/4"		


<sup>\*</sup>Fail-secure can be field converted to fail-safe or vice-versa.



Modular Packaging Program – Match strike body with faceplate kit for complete electric strike.

#### 7100 Series





STRIKE BODY KITS	
<b>7103A</b> For use with 7100/7101, 7110/7111, 7130/7131, 7140	\$154
<b>7173A</b> For use with 7160, 7170	\$199

One strike body kit matched with one faceplate kit makes a complete electric strike assembly.

One strike body kit inatched with one laceplate kit makes a complete electric str					
FACEPLATE KITS & FINISHES	313,335, 628	626	605		
FPK00 For use with body kits: 7103A, 7173A	\$30	\$55	\$60		
FPK01 For use with body kit: 7103A	\$30				
FACEPLATE KITS & FINISHES			652		
FPK10 For use with body kit: 7103A			\$65		
FPK11 For use with body kits: 7103A			\$65		
FACEPLATE KITS & FINISHES	313,335, 628	626	605		
FPK30 For use with body kit: 7103A	\$35				
FPK31 For use with body kits: 7103A	\$35				
FPK40 For use with body kit: 7103A, 7173A	\$30	\$55	\$60		
FPK45 For use with body kit: 7103A, for installing electric strike in previous prep, 4901, 4501 strike cover.	\$35				

Faceplate kits contain all hardware to mount electric strike.


KITTED OPTIONS	
91-0171-01-IP THROUGH -13-IP Lip extension kits for use with 7100 through 7140	\$34
91-0171-50-IP Lip extension kits for use with 7100 through 7140 interior framing systems	\$34
91-0172-01-IP THROUGH -13-IP Lip extension kits for use with 7160 and 7170	\$34
91-0172-50-IP Lip extension kits for use with 7160 and 7170 interior framing systems	\$34

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO. VOLTAGE CURRENT AND DUTY FEATURES*						
7103A	3		0			
7103A	<b>3</b> 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure			
7173A	<b>4</b> 16 Volt	4 AC Intermittent	<b>5</b> Fail-Safe			
/1/3A	5 24 Volt					

\*Fail-secure can be field converted to fail-safe or vice-versa.



#### 7240 Series




#### Fire-Rated Electric Strikes

MODELS & FINISH	630
7240 Fire-rated, for cylindrical latches	\$347
7240-50 Lip extension for interior frame systems	\$386
7240-XX9 Monitoring signal switches	\$447

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) Door Centerline to Jam Edge for Interior Frames		
7240	-3		О	-630	-50		
	<b>3</b> 12 Volt	1 DC Continuous or Intermittent	<b>0</b> Fail-Secure	<b>630</b> Satin Stainless	<b>00</b> 1-1/16" or less		
	<b>5</b> 24 Volt	4 AC Intermittent	9 Monitor/Fail-Secure		50 1-3/8"		

\*Not available fail-safe.

#### 7270 Series




#### Fire-Rated Electric Strikes

MODELS & FINISH	630
7270 Fire-rated, for mortise latches	\$402
7270-50 Lip extension for interior frame systems	\$441
7270-XX9 Monitoring signal switches	\$502

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) Door Centerline to Jam Edge for Interior Frames		
7270	-3		Ο	-630	-50		
	<b>3</b> 12 Volt	1 DC Continuous or Intermittent	<b>0</b> Fail-Secure	<b>630</b> Satin Stainless	<b>00</b> 1-1/16" or less		
	<b>5</b> 24 Volt	4 AC Intermittent	9 Monitor/Fail-Secure		50 1-3/8"		

\*Not available fail-safe.

#### 7400, 7401




#### Ultraline® Electric Strikes

MODELS & FINISHES	313, 335, 628	630	605, 606, 629	119, 121, 130
7400 For radius jambs	\$254	\$279	\$289	
7400M Monitoring signal switches	\$354	\$379	\$389	
7401 For radius aluminum stiles				\$254
<b>7401M</b> Monitoring signal switches				\$354

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	FACEPLATE SHAPE	FEATURES		FINISH			
740	0	М	628				
	<b>0</b> Flat	- None	7400 ONLY		7401 ONLY		
	1 Radius	<b>M</b> Monitored	313 Dark Bronze Anodized	628 Clear Anodized	119 To match 335 Black Anodized		
		A Modular Pack - Body Kit	335 Black Anodized	<b>629</b> Bright Stainless	<b>121</b> To match 313 Dark Bronze Anodized		
			605 Bright Brass	<b>630</b> Satin Stainless	130 To match 628 Clear Anodized		
			<b>606</b> Satin Brass				

Fail-secure can be field converted to fail-safe or vice-versa.





#### Ultraline® Electric Strikes


MODELS & FINISHES	313, 335, 628	630
<b>7410</b> For wood jambs, 7-15/16" faceplate	\$284	\$309
<b>7410M</b> Monitoring signal switches	\$384	\$409
7411 For wood jambs, 10-1/4" faceplate, not available in 335 Finish	\$284	\$309
7411M Monitoring signal switches		\$409

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO. FACEPLATE LENGTH FEATURES FINISH					
741	0		628		
	<b>0</b> 7-15/16"	- None	313 Dark Bronze Anodized	628 Clear Anodized	
	<b>1</b> 10-1/4"	M Monitored	335 Black Anodized	<b>630</b> Satin Stainless	

Fail-secure can be field converted to fail-safe or vice-versa.

#### 7430, 7431





MODELS & FINISHES	313, 335, 628	119, 121, 130
7430 For aluminum jambs, flat faceplate	\$259	
7430M Monitoring signal switches	\$359	
7431 For aluminum stiles, radius faceplate		\$259
<b>7431M</b> Monitoring signal switches, not available in 119 finish.		\$359

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	FACEPLATE SHAPE	FEATURES	FINISH			
743	0	M	628			
	0 Flat	- None	313 Dark Bronze Anodized	119 To match 335 Black Anodized		
	1 Radius	<b>M</b> Monitored	335 Black Anodized 121 To match 313 Dark Bronze Anodi			
			628 Clear Anodized	130 To match 628 Clear Anodized		

Fail-secure can be field converted to fail-safe or vice-versa.

#### 7440

#### Ultraline® Electric Strikes


MODELS & FINISHES	313, 335, 628	630	605, 606, 629
7440 For steel and wood, jambs and doors	\$254	\$279	\$289
<b>7440M</b> Monitoring signal switches	\$354	\$379	\$389

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	FEATURES	FINISH			
7440	М	628			
	- None	313 Dark Bronze Anodized	<b>606</b> Satin Brass	<b>629</b> Bright Stainless	
	<b>M</b> Monitored	335 Black Anodized	35 Black Anodized 628 Clear Anodized 630 Satin		
		605 Bright Brass			

Fail-secure can be field converted to fail-safe or vice-versa.



#### 74R1




#### Ultraline® Electric Strikes

MODELS & FINISHES	119, 121, 130
<b>74R1</b> For use with rim exit devices with 3/4" latchbolt	\$344
74R1M Monitoring signal switches	\$444

HOW TO ORDER Specify quantity and the following information. Order related products separately.				
PRODUCT NO.	FEATURES	FINISH		
74R1	М	-130		
	- None	119 To match 335 Black Anodized		
	M Monitored	121 To match 313 Dark Bronze Anodized		
		130 To match 628 Clear Anodized		

Fail-secure can be field converted to fail-safe or vice-versa.

#### 74R2



#### Ultraline® Electric Strike

MODELS & FINISHES					
74R2 For use with narrow stile rim exit devices with 1/2" latchbolt					
HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO. FINISH					
74R2 -130					
	119 To match 335 Black Anodized				
	121 To match 313 Dark Bronze Anodized				
	130 To match 628 Clear Anodized				

Fail-secure can be field converted to fail-safe or vice-versa.

Modular Packing Program - match strike body kit with faceplate kit for complete electric strike. Select 7400A for standard jambs and 7401A for radius stile mounting. No finish designation required for strike body kits.

#### 7400 Series

#### **Electric Strike Components**

STRIKE BODY KITS	
<b>7400A</b> Standard body, for use in single door applications	\$229
7401A Radius body, for use in applications with pairs of doors	\$229

Match one strike body kit with one faceplate kit to make a complete electric strike assembly.

FACEPLATE KITS & FINISHES	313, 335, 628	630	605, 606, 629	119, 121,130
FPK7400 For use with body kit: 7400A	\$25	\$50	\$60	
FPK7401 For use with body kit: 7401A				\$25
FPK7410 For use with body kit: 7400A	\$55	\$80		
FPK7411 For use with body kit: 7400A, not available in 335 finish	\$60	\$85		
FPK7430 For use with body kit: 7400A	\$30			
FPK7431 For use with body kit: 7401A				\$30
FPK7440 For use with body kit: 7400A	\$25	\$50	\$60	
FPK7445 For use with body kit: 7400A, not available in 335 finish. For installing electric strike in previous prep 4901, 4501, strike cover	\$35			

Faceplate kits contain all hardware to mount electric strike.

KITTED OPTIONS	
<b>LEK7400</b> Lip extension kits for use with 7400 series electric strikes, for flat faceplates only	\$44
VA7400-12 12 VDC adapter cable for 7400 electric strikes	\$12
VA7400-16VDC 16 VDC adapter kit for 7400 electric strikes	\$19
VA7400-24 24 VDC adapter cable for 7400 electric strikes	\$12
WDC7400 Wood door cover plate for use when mounting 7400 in the inactive leaf of a wood door pair (to simplify the mortising operation)	\$13
<b>ELX</b> ElectroLynx™ Adapter to connect Adams Rite products to the ElectroLynx system	\$31

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	LIP EXTENSIONS (distance from vertical centerline of the door in the closed position to the edge of the jamb)						
LEK7400-				-00			
	01 1-1/2"	03 1-3/4"	<b>05</b> 2"	<b>07</b> 2-1/4"	09 2-1/2"	<b>11</b> 2-3/4"	<b>13</b> 3"
	<b>02</b> 1-5/8"	<b>04</b> 1-7/8"	<b>06</b> 2-1/8"	<b>08</b> 2-3/8"	10 2-5/8"	<b>12</b> 2-7/8"	<b>50</b> 1-3/8"





#### Series Turns

MODELS & FINISHES	119, 121, 130
<b>1000-01, 1000-02</b> Turn for use with MS1847 deadlock	\$27
1000-11, 1000-21 Turn and escutcheon for use with MS1847 deadlock	\$32
1000S-11, 1000S-21 Stainless steel turn and escutcheon for use with MS1847 deadlock	\$37
<b>1004</b> Turn for use with 5015, 5017 deadlock	\$32
<b>1015</b> Turn for use with 5015, 5017 deadlock	\$32
1016 Outside escutcheon	\$27

HOW TO C	RDEI	R <b>Specify</b>	quantit	y and the foll	owing	inform	ation.	Order	relate	d prod	ucts separately.
PRODUCT NO.		TURN TYPE				:	SPINDLE	LENGT	ГН		FINISH
1000	-21				-14				-130		
	TU	TURN WITHOUT ESCUTCHEON DASH CHART		D.F		SH CHART			l		
		Furnishe			NO.	"L"	MM	NO.	"L"	MM	119 To match 335 Black Anodized
					-11	17/32	13	-22	1-15/64	31	
	<b>(1)</b>	-01	<del>(</del>	-02	-12	39/64	15	-23	1-19/64	33	121 To match 313 Dark Bronze
	- W	Parallel Drive	_ \ \ \ \	Pendicular Drive	-13	43/64	17	-24	1-23/64	35	Anodized
	U	Drive	U	Drive	-14	47/64	19	-25	1-27/64	36	
	1	TURN WITH	H ESCL	JTCHEON	-15	51/64	20	-26	1-31/64	38	130 To match 628 Clear Anodized
		Furnish	ed Asser	mbled	-16	55/64	22	-27	1-33/64	39	130 To match 628 Clear Anodized
	•	44	0	24	-17	59/64	23	-28	1-39/64	41	
	(10)	-11 Parallel	<del>(</del>	<b>-21</b> Pendicular	-18	63/64	25	-29	1-43/64	42	
	- W	Drive	_ V	Drive	-19	1-3/64	26	-30	1-47/64	44	
	<b>u</b> Drive		u	Dilve	-20	1-7/64	28	-31	1-51/64	46	
					-21	1-11/64	30	-32	1-55/64	47	

#### 3000






#### Fixed Pull

MODELS & FINISH	US32D
3001 Tubular fixed pull for hollow metal or wood doors	\$197
3002 Flat fixed pull for hollow metal or wood doors	\$215

HOW TO ORDER Specify quantity and the following information. Order related products separately.							
PRODUCT NO.	HANDLE	CYLINDER HOLE	EXIT DEVICE	FINISH			
300				-US32D			
	1 Round	1 Without Hole	1 Mortise, Rim	US32D Satin Stainless			
	2 Flat	2 With Hole	2 CVR				
			3 SVR				

Not for use with the following narrow stile exit devices: 8200 SVR, 8400 Mortise, 8600 CVR, 8800 Rim exit devices.

## Series Entry Trim



	,	STANDARD	TRIM	ELECTRIFIED TRIM		
MODELS & FINISHES		US4, US32D, 10B	US3, US32	US4, US32D, 10B	UUS3, US32	
24	3080 Entry trim with standard lever (01, 02, 03)	\$347	\$382	\$672	\$707	
LEVER	<b>3080-M</b> Entry trim with standard lever (01, 02, 03) with matching trim cover finish	\$437	\$472	\$762	\$797	
STANDARD	3080-U  Entry trim with standard lever (01, 02, 03) with universal trim kit includes tailpieces and trimplates for use with all Adams Rite exit devices	\$372	\$407	\$697	\$732	
	<b>3080-U, M</b> Entry trim with standard lever (01, 02, 03), matching trim cover and universal trim kit	\$462	\$497	\$787	\$822	
24	<b>3080-MX</b> Entry trim with designer lever series (MD through MW)	\$392	\$427	\$717	\$752	
LEVER	3080-MX, M Entry trim with designer lever series (MD through MW) with matching trim cover	\$482	\$517	\$807	\$842	
IGNER	<b>3080-MX, U</b> Entry trim with designer lever series (MD through MW) with universal trim kit	\$417	\$452	\$742	\$777	
DESI	<b>3080-MX, U, M</b> Entry trim with designer lever series (MD through MW), universal trim kit and matching trim cover	\$507	\$542	\$832	\$867	

Tactile strip now available as a Kitted Option (below) for standard levers 01 and 03.

KITTED OPTIONS	
91-0686 Adaptor kit for 3080 trim and G86 exit device	\$29
91-0118 Tactile strip for 3080 standard levers 01, 03	\$36

HOW TO ORDER Specify quantity and the following information. Order related products separately.										
PRODUCT NO.	ELECTRIFIED		HANDLE	HANDING	CYLINDER HOLE	EXIT DEVICE	VOLTAGE	FEATURES	TRIM COVER FINISH	FINISH
3080	Е		-01	-0	-3		-3	0	М	US32D
	(BLANK) Standard		TANDARD HANDLES	<b>0</b> No Handing	3 With Hole	1 SVR	Electrified Trim Only	Electrified Trim Only	- Standard (Black)	US3 Bright Brass
	E Electrified Trim	<b>01</b> Cu	rve	7 Left Hand*	9 Without Hole	3 Mortise	3 12 Volt DC	<b>0</b> Fail-Secure	M Matching Finish	US4 Satin Brass
		<b>02</b> Ro	und	8 Right Hand*		4 SCVR	<b>5</b> 24 Volt DC	<b>5</b> Fail-Safe		10B Dark Bronze
		<b>03</b> Sq	uare			6 CVR				US32 Bright Stainless
		DESIG	NER SERIES			7 Rim				US32D Satin Stainless
		MD	MJ			<b>U</b> Universal Kit				
		ME	MN* (Handed)							
		MG	MV* (Handed)							
		МІ	MW							

\*Handing must be specified for MN and MV Designer Levers.



#### 3090, 3090P/C eForce® Keyless Entry



	FOR DEADLATCHES AND EXITS	FOR DEADLOCKS
MODELS & FINISHES	626, 121	626, 121
3090-01, 3090-02 eForce keyless entry with keypad	3090-01	3090-02
3090-01, 3090-02 erorce keyless entry with keypad	\$677	\$697
3090P-01, 3090P-02 eForce hardwired keyless entry with Prox reader	3090P-01	3090P-02
3090P-01, 3090P-02 eForce nardwired keyless entry with Prox reader	\$922	\$942
2000C 04 2000C 02 -Farry handwised business paterwith iCLACC and as	3090C-01	3090C-02
3090C-01, 3090C-02 eForce hardwired keyless entry with iCLASS reader	\$962	\$982

#### KITTED OPTIONS

MODELS	
RSK-3090 Remote switch input connector	\$16
<b>3090-CABLE</b> 15 ft cable extension (ElectroLynx™ x pigtail) for 3090P/C	\$32
<b>3090-CABLE-EL</b> 15 ft cable extension (ElectroLynx™ x ElectroLynx™) for 3090P/C	\$38

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	CREDENTIAL	COMPATIBLE PRODUCTS	FINISH			
3090	Р	-01	-626			
	(BLANK) Keypad	01 Adams Rite latches or 8000 Series Exit Devices, Yale 7200 series,	121 To match 313 Dark			
	P 125 kHz HID® Prox	Corbin Russwin ED4000 series exit devices only	Bronze Anodized			
	C 13.56 MHz HID iCLASS	02 Adams Rite MS* deadlocks	626 Satin Chrome			

#### A100-3090H

## Keyless Entry and Aperio® Hub Wholesale Kit



	FOR DEADLATCHES & EXITS	FOR DEADLOCKS
MODELS & FINISHES	121, 626	121, 626
A100-3090HC Keyless entry paired with hub, iCLASS reader	\$1,760	\$1,780
A100-3090HP Keyless entry paired with hub, PROX reader	\$1,760	\$1,780

Special pricing program discounts apply to Aperio products. Please contact your sales representative for pricing information.

#### KITTED OPTIONS

MODELS	
DPS-C-38G A100 Door Position Switch	\$35

HOW TO ORDER Specify quantity and the following information. Order related products separately.				
PRODUCT NO.	CREDENTIAL	COMPATIBLE PRODUCTS	FINISH	
A100-3090H			-626	
	P 125 kHz HID* Prox	Adams Rite latches or 8000 Series Exit Devices, Yale 7200 series, Corbin Russwin ED4000 series exit devices only (select REX enabled version).	121 To match 313 Dark Bronze Anodized	
	C 13.56 MHz HID iCLASS	2 Adams Rite MS* deadlocks	626 Satin Chrome	

Note: The Adams Rite A100 narrow stile trim is available as either a pre-paired lock and hub kit (no certification required) or as a field configurable component (requires Aperio® Certified Integrator certification). Pre-paired kits support limited features, field configured devices are required in order to support all options. Visit www.IntelligentOpenings.com to learn more.





### Turn

MODEL & FINISH	130
<b>4060</b> Turn for 1875 deadlock, 1-1/2", 1-3/4", or 2" door thickness	\$60

HOW TO ORDER Specify quantity and the following information. Order related products separately.				
PRODUCT NO.	DOOR THICKNESS	FINISH		
4060	-05	-130		
	05 1-1/2"	130 To match 628 Clear Anodized		
	06 1-3/4"			
	07 2"			

Please contact factory regarding mounting spacers, bolts, guides and strikes for particular door designs.

### 4550

### MS® Deadlock Lever



MODEL & FINISHES	119, 121, 130
4550, 01 Deadlock lever, 1-3/4" to 2" door thickness	\$198
<b>4550, 02</b> Deadlock lever, 2-1/8" to 2-3/8" door thickness	\$238

HOW TO ORDER Specify quantity and the following information. Order related products separately.				
PRODUCT NO.	DOOR HAND	DOOR THICKNESS	RITECOAT FINISH	
4550	R	-01	-130	
	R RH or RHR	01 1-3/4" to 2"	119 To match 335 Black Anodized	
	L LH or LHR	02 2-1/8" to 2-3/8"	121 To match 313 Dark Bronze Anodized	
			130 To match 628 Clear Anodized	

### 4560, 4565





### Series Deadlatch Handles for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	119, 121, 130
<b>4560-X01</b> For door thickness (01) 1-3/4" to 2"	\$52
<b>4560-X02</b> For door thickness (02) 2-1/4" to 2-1/2"	\$72
<b>4560-X03</b> For door thickness (03) 2-3/4" to 3"	\$72
<b>4560-X04</b> For door thickness (04) 3-1/4"	\$72
<b>4565-X01</b> For door thickness (01) 1-3/4" to 2"	\$52
<b>4565-X02</b> For door thickness (02) 2-1/4" to 2-1/2"	\$72
<b>4565-X03</b> For door thickness (03) 2-3/4" to 3"	\$72
<b>4565-X04</b> For door thickness (04) 3-1/4"	\$72

### Series Deadlatch Handles for MS+1890 Deadlock/Deadlatch

MODELS & FINISHES	119, 121, 130
<b>4560-011</b> For door thickness (11) 1-3/4"	\$39
<b>4560-012</b> For door thickness (12) 1-3/4" to 2-1/4"	\$49
<b>4560-013</b> For door thickness (13) 2-15/16" to 2-3/4"	\$49
<b>4565-011</b> For door thickness (11) 1-3/4"	\$39
<b>4565-012</b> For door thickness (12) 1-3/4" to 2-1/4"	\$49

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	HANDLE TYPE	HANDING	DOOR THICKNESS		FINISH
456	0	-5	01		-130
	<b>0</b> Lever	<b>0</b> Using MS+1890	FOR 4300, 4500, 4900 SERIES DEADLATCHES	FOR MS+1890	119 To match 335 Black Anodized
	5 Turn	5 LH or LHR	<b>01</b> 1-3/4" to 2"	<b>11</b> 1-3/4"	<b>121</b> To match 313 Dark Bronze Anodized
		6 RH or RHR	<b>02</b> 2-1/4" to 2-1/2"	<b>12</b> 1-3/4" to 2-1/4"	130 To match 628 Clear Anodized
			<b>03</b> 2-3/4" to 3"	<b>13</b> 2-5/16" to 2-3/4"	
			<b>04</b> 3-1/4"		

### 4568, 4569

### Eurostyle Deadlatch Handles for 4300, 4500, 4900 Deadlatches




MODELS & FINISHES	119, 121, 130
4 <b>568-X01</b> For door thickness (01) 1-3/4" to 2"	\$63
<b>4568-X02</b> For door thickness (02) 2-1/4" to 2-1/2"	\$78
<b>4568-X03</b> For door thickness (03) 2-3/4" to 3"	\$78
<b>4568-X04</b> For door thickness (04) 3-1/4"	\$78
<b>4569-X01</b> For door thickness (01) 1-3/4" to 2"	\$71
<b>4569-X02</b> For door thickness (02) 2-1/4" to 2-1/2"	\$86
<b>4569-X03</b> For door thickness (03) 2-3/4" to 3"	\$86
<b>4569-X04</b> For door thickness (04) 3-1/4"	\$86

### Eurostyle Deadlatch Handles for MS+1890 Deadlock/Deadlatch

MODELS & FINISHES	119, 121, 130
<b>4568-011</b> For door thickness (11) 1-3/4" to 1-15/16"	\$51
<b>4568-012</b> For door thickness (12) 2" to 2-1/4"	\$61
<b>4568-013</b> For door thickness (13) 2-15/16" to 2-3/4"	\$61
<b>4568-014</b> For door thickness (14) 3"	\$61
<b>4569-011</b> For door thickness (11) 1-3/4" to 1-15/16"	\$56
<b>4569-012</b> For door thickness (12) 2" to 2-1/4"	\$66
<b>4569-013</b> For door thickness (13) 2-15/16" to 2-3/4"	\$66
4 <b>569-014</b> For door thickness (14) 3"	\$66

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	LEVER TYPE	HANDING	DOOR TH	HICKNESS	FINISH
456	8	-5	O1		-130
	8 Straight	<b>0</b> Using MS+1890	FOR 4300, 4500, 4900 SERIES DEADLATCHES	FOR MS+1890	119 To match 335 Black Anodized
	9 Return End	5 LH or LHR	<b>01</b> 1-3/4" to 2"	<b>11</b> 1-3/4" to 1-15/16"	121 To match 313 Dark Bronze Anodized
		6 RH or RHR	<b>02</b> 2-1/4" to 2-1/2"	<b>12</b> 2" to 2-1/4"	130 To match 628 Clear Anodized
			<b>03</b> 2-3/4" to 3"	<b>13</b> 2-5/16" to 2-3/4"	
			<b>04</b> 3-1/4"	14 3"	



### Deadlatch Paddle for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	313, 335, 628
<b>4590-0X-00</b> For door thickness (00) 1-3/4"	\$103
<b>4590-0X-01</b> For door thickness (01) 1-13/16" to 2"	\$123
<b>4590-0X-02</b> For door thickness (02) 2-1/4" to 2-1/2"	\$123
<b>4590-0X-03</b> For door thickness (03) 2-3/4" to 3"	\$123
<b>4590-0X-04</b> For door thickness (04) 3-1/4"	\$123

#### Deadlatch Paddle for MS+1890, 2190 Deadlocks


MODELS & FINISHES	313, 335, 628
<b>4590-1X-00</b> For door thickness (00) 1-3/4"	\$87
<b>4590-1X-01</b> For door thickness (01) 1-3/4" to 2-1/4"	\$107
<b>4590-1X-02</b> For door thickness (02) 2-5/16" to 2-1/2"	\$107
<b>4590-1X-03</b> For door thickness (03) 2-9/16" to 2-3/4"	\$107

PRODUCT NO.		OP	ERATION		DOOR THI	CKNESS	FINISH*
4590	02				-0	Ο	-313
	FIRST DASH FOR LATCH SERIES	OPPER	RATION	USE	FOR 4300, 4500, 4900 SERIES DEADLATCHES	FOR MS+1890, 2190	313 Dark Bronze Anodized
	<b>-01</b> 4300/4500/4900	PULL		Outside of left hand reverse	00 1-3/4"	00 1-3/4"	335 Black Anodized
	<b>-11</b> MS+1890/2190	TO LEFT		door or incide of right hand	<b>01</b> 1-13/16" to 2"	<b>01</b> 1-3/4" to 2-1/4"	628 Clear Anodized
	<b>-02</b> 4300/4500/4900	PUSH		Outside of left hand door or inside of right hand reverse	<b>02</b> 2-1/4" to 2-1/2"	<b>02</b> 2-5/16" to 2-1/2"	
	<b>-12</b> MS+1890/2190	TO LEFT			<b>03</b> 2-3/4" to 3"	<b>03</b> 2-9/16" to 2-3/4"	
	<b>-03</b> 4300/4500/4900	PULL	P	Outside of right hand reverse door or inside or left hand	<b>04</b> 3-1/4"		
	<b>-13</b> MS+1890/2190	TO RIGHT	Ŀ				
	<b>-04</b> 4300/4500/4900	900 PUSH	Outside of right hand door or				
	<b>-14</b> MS+1890/2190	TO RIGHT	Š	inside of left hand reverse			
	LH	4	RH	-01 OR -11 -04 OR -14 -02 OR -12 -03 OR -13			

 $\ensuremath{^{*}}\xspace Finish applied to paddle assembly only, not escutcheon.$ 



### Deadlatch Paddle for 4300, 4500, 4900 Deadlatches



MODELS & FINISHES	313, 335, 628	US3, US26D
<b>4591-0X-00</b> For door thickness (00) 1-3/4"	\$123	\$230
<b>4591-0X-01</b> For door thickness (01) 1-13/16" to 2"	\$143	\$250
<b>4591-0X-02</b> For door thickness (02) 2-1/4" to 2-1/2"	\$143	\$250
<b>4591-0X-03</b> For door thickness (03) 2-3/4" to 3"	\$143	\$250
<b>4591-0X-04</b> For door thickness (04) 3-1/4"	\$143	\$250

#### Deadlatch Paddle for MS+1890, 2190 Deadlocks

MODELS & FINISHES	313, 335, 628	US3, US26D
<b>4591-1X-00</b> For door thickness (00) 1-3/4"	\$106	\$213
<b>4591-1X-01</b> For door thickness (01) 1-3/4" to 2-1/4"	\$126	\$233
<b>4591-1X-02</b> For door thickness (02) 2-5/16" to 2-1/2"	\$126	\$233
<b>4591-1X-03</b> For door thickness (03) 2-9/16" to 2-3/4"	\$126	\$233
OPTIONS		
4591MA Active paddle, latch activator with monitor switch	Add \$116	
<b>4591M</b> Paddle with switch, no latch activator	Add \$100	
91-0914 Monitor switch kit for 4591, field installation	\$116	


HOW TO OI	RDER <b>Specify</b> o	uantity and the foll	owing info	rmation. O	rder related product	s separately.				
PRODUCT NO.	OPTIONS*	OPERATION			DOOR THI	CKNESS	FINISH**			
4591	М		02			-0	-00			
	<ul> <li>Standard Paddle</li> </ul>	FIRST DASH FOR LATCH SERIES	OPPE	RATION	USE	FOR 4300, 4500, 4900 SERIES DEADLATCHES	FOR MS+1890, 2190	313 Dark Bronze Anodized		
	M Paddle w/ switch only	- <b>01</b> 4300/4500/4900	PULL PULL TO LEFT	reverse door or inside	00 1-3/4"	00 1-3/4"	335 Black Anodized			
	MA Active paddle w/ switch	<b>-11</b> MS+1890/2190				<b>01</b> 1-13/16" to 2"	<b>01</b> 1-3/4" to 2-1/4"	628 Clear Anodized		
		<b>-02</b> 4300/4500/4900	PUSH				<b>02</b> 2-1/4" to 2-1/2"	<b>02</b> 2-5/16" to 2-1/2"	US3 Bright Brass	
		<b>-12</b> MS+1890/2190	TO LEFT			<b>03</b> 2-3/4" to 3"	<b>03</b> 2-9/16" to 2-3/4"	US26D Satin Chrome		
		<b>-03</b> 4300/4500/4900	PULL	P	Outside of right hand	<b>04</b> 3-1/4"				
		<b>-13</b> MS+1890/2190	TO RIGHT	1T		reverse door or insi or left hand	reverse door or inside or left hand			
		<b>-04</b> 4300/4500/4900	PUSH	Outside of right hand						
		-14 MS+1890/2190	TO RIGHT	I	door or inside of left hand reverse					

 $^*$ M and MA options availble on push paddles only, not pull paddles.  $^**$ Finish applied to paddle assembly only, not escutcheon.

### Heavy Duty Designer Deadlatch Handles

LEVER OPERATOR FOR 4300, 4500, 4900 SERIES DEADLATCHES

LEVER OPERATOR FOR 2190, 2290 INTERCONNECTED DEADBOLT/DEADLATCH



МОЕ	DELS & FINISHES	10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32
2	<b>4600</b> Trim with standard lever (01, 02, 03)	\$135	\$170	\$120	\$155
TANDARD LEVER	<b>4600-M</b> Trim with standard lever (01, 02, 03) with form 'C' switch option to indicate when lever is actuated	\$185	\$220	\$170	\$205
STA	<b>4600-THICK DOOR</b> Trim with standard lever (01, 02, 03) for door thickness greater than 1-7/8"	\$155	\$190	\$140	\$175
<u>K</u>	4600-MX Trim with designer lever series (MD through MW)	\$180	\$215	\$165	\$200
DESIGNER LEVER	<b>4600-MX, M</b> Trim with designer lever series (MD through MW) with form 'C' switch option	\$230	\$265	\$215	\$250
	4600-MX, THICK DOOR Trim with designer lever series (MD through MW) for door thickness greater than 1-7/8"	\$200	\$235	\$185	\$220

KITTED OPTIONS	
REX-4600 Request to exit kit	\$38
DTK-4600 Fixed lever (dummy) kit	\$12
TDK-4600-XX Thick door kit. Specify door thickness.*	\$25
TBK-4600-XX Through-bolt mounting kit for back-to-back mounting on wood doors. Specify door thickness.*	\$27


\*For door thickness (01) 1-3/4", (02) 2", (03) 2-1/4", (04) 2-1/2" and (05) 2-3/4".

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	REX	HANDLE	HANDING**	DOOR THICKNESS	COMPATIBLE PRODUCTS	FINISH
4600	М	-01	-5			-32D
	(BLANK) Standard	STANDARD HANDLES	5 LH or LHR	1 1-3/4" to 1-7/8"	1 2190, 2290 Interconnected Deadbolt/Deadlatch	US3 Bright Brass
	M Switch Option	<b>01</b> Curve	6 RH or RHR	2 2" to 2-1/8"	2 4300, 4500, 4900 Series Deadlatches	US4 Satin Brass
		<b>02</b> Round		<b>3</b> 2-1/4" to 2-3/8"		10B Dark Bronze
		<b>03</b> Square		<b>4</b> 2-1/2" to 2-5/8"		US32 Bright Stainless
		DESIGNER SERIES		<b>5</b> 2-3/4" to 2-7/8"		US32D Satin Stainless
		MD MJ				
		ME MN* (Handed)				
		MG MV* (Handed)				
		MI MW				

\*Handing must be specified for MN and MV Designer Levers. \*\*Handing - assuming lever on interior of door.



### 4024, 4025, 4026 Cylinder Pulls



MODELS & FINISHES	
MODELS & FINISHES	119, 121, 130
4024-00-01, 02 Cylinder pull, Schlage keyway	\$59
4024-06-01, -02 Cylinder pull, Weiser keyway	\$59
4025-00-01, 02 Cylinder pull, Schlage keyway	\$64
4025-06-01, 02 Standard cylinder pull, Weiser keyway	\$64
4025-100-02, CYL X CYL Cylinder both sides pullset, Schlage keyway	\$128
4025-106-02, CYL X CYL Cylinder both sides pullset, Weiser keyway	\$128
4026-00-01, 02 Cylinder pull for use with 5015, 5017 Wood Door Deadlock, Schlage keyway	\$67
4026-06-01, 02 Cylinder pull for use with 5015, 5017 Wood Door Deadlock, Weiser keyway	\$67

Please contact factory for special cylinder requirements.

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PULL TYPE	PULL NO./CYLINDER INCLUDED	KEYING	FINISH			
4024	-00	-01	-130			
4024 Trim Plate Mounted	00 Schlage "C: Keyway	<b>01</b> Keyed Different	119 To match 335 Black Anodized			
4025 Stile Mounted with through - screws	<b>06</b> Weiser Keyway	<b>02</b> Keyed Alike in Pairs	121 To match 313 Dark Bronze Anodized			
4026 For Wood Applications			130 To match 628 Clear Anodized			

#### 4036

## Mortise Cylinder

MODEL & FINISHES	313, 335, 628
4036 Five pin cylinder.2 keys and 1/4" ring, KD, KA2 only	
For 3300, 3600, 8300, 8400, 8500, 8600, or entry trim. Can be installed directly in latch case of 8400, 8300, or 3300.	\$42




HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO.	LOCK TYPE	KEY OPTIONS*	FINISH		
4036	-01	-01	-628		
	01 For MS Locks, Deadlatches, 2190	01 Keyed different	313 Dark Bronze Anodized		
	02 For 4070 Deadlock	<b>02</b> Keyed alike in pairs	335 Black Anodized		
	03 For 2331 Deadlock		628 Clear Anodized		

 $<sup>^{*}</sup>$  Keyed alike 50 (KA50) are available by special order in quantity of 50 cylinders only. Please contact factory for ordering information.



#### MS4043

## Cylinder Guard




MODELS & FINISHES	119, 121, 130
MS4043-00 Cylinder guard, 1/8" stile wall, 5 or 6 pin cylinder	\$36
MS4043-01 Cylinder guard, 1/4" stile wall, 5 or 6 pin cylinder	\$41
MS4043-02 Cylinder guard, 1/8" stile wall, 1-5/16" to 1-7/16" long cylinder	\$56

HOW TO ORDER Specify quantity and the following information. Order related products separately.				
PRODUCT NO.	STILE WALL & CYLINDER		FINISH	
MS4043	-01		-130	
	STILE WALL	CYLINDER	119 To match 335 Black Anodized	
	00 1/8"	5 or 6 pin	121 To match 313 Dark Bronze Anodized	
	01 1/4"	5 or 6 pin	130 To match 628 Clear Anodized	
	02 1/8"	1-5/16" to 1-7/16" long		

#### 4066

#### Thumbturn





HOW TO ORDER Specify quantity and the following information. Order related products separately.				
PRODUCT NO.	LOCK TYPE	FINISH		
4066	-01	-130		
	<b>01</b> For MS Locks, Deadlatches	130 To match 628 Clear Anodized		
	02 For 4070 Deadlock	313 Dark Bronze Anodized		
03 For 2331 Deadlock		335 Black Anodized		

#### 4580

#### Cam Disc



MODELS	
4580-X00, 4580-X01 Included with lever handles, door thickness 2" or less	\$17
4580-X02, 4580-X03 Included with lever handles, door thickness greater than 2"	\$25

HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO.	HANDING	DOOR THICKNESS	
4580	-5	00	
	<b>5</b> LH	00 1-3/4"	
6 RH		01 2"	
		<b>02</b> 2-1/4"	
		<b>03</b> 2-3/4"	

### Universal Cam Plug







HOW TO ORDER Specify quantity and the following information. Order related products separately.			
PRODUCT NO. DOOR THICKNESS			
4581	01		
	<b>01</b> 1-3/4"		
	02 2"		
	03 2-1/4"		

#### 8650



### Cylinder Escutcheon Kit

MODELS & FINISHES	119, 121, 130	313, 335, 628	US4, US32D	US3, US32
<b>8650</b> Cylinder escutcheon kit for 3600, 8500, 8600 exit devices	\$35	\$60	\$68	\$78
8650 For wall thickness over 1/8" *	\$65	\$90	\$98	\$108

\*Please contact factory for wall thickness greater than 1/8"

#### 8736





MODEL & FINISHES	313, 335, 628
<b>8736</b> Five-pin Rim cylinder for use with 3100, 3700, 8100, 8200, 8700, 8800 exit devices.	\$45


#### 4014

#### Two-Point Conversion Kit

MODEL	
4014-01 Two-point conversion kit for MS1861 Bottom Rail Deadlock	\$36

#### 4015

#### Threshold Bolt



MODEL & FINISHES	603
<b>4015-18-IB</b> Two-point converter, threshold bolt, standard cylinder height.	\$43
4015-XX-IB Two-point converter, threshold bolt, specify cylinder height greater than 53", 60" maximum.	\$65

HOW TO ORDER Specify quantity and the following information. Order related products separately.				
PRODUCT NO.	ADD DASH NUMBER FOR "UNIVERSAL SIZE"	PACKAGING		
4015	-18	-IB		
		IB Individually Boxed		

Please specify cylinder height if ordering in volume quantity for a specific cylinder height.

**USA** adamsrite.com





### Header Bolt

MODEL	
<b>4016</b> Three-point converter, provides upper bolt for MS1850/1870 Deadlocks	\$55

HOW TO ORDER Specify quantity and the following information. Order related products separately.				
PRODUCT NO.	LOCK BACKSET	DOOR HEIGHT		
4016	-30	-01		
	<b>10</b> 1-1/2"	<b>01</b> 7' Door		
	<b>20</b> 31/32"	<b>02</b> 10' Door		
	30 1-1/8"			

#### 4085



## Header Bolt (Pairs of Doors Only)

MODELS & FINISHES	
4085-01-IB Positioner bolt and header strike, specifiy cylinder height for 7' door height	\$83
<b>4085-02-IB, 4085-03-IB, 4085-04-IB</b> Positioner bolt and header strike, specify cylinder height for door height greater than 7', door height 10' maximum.	\$103

Contact factory for door height greater than 7'.

HOW TO ORDER Specify quantity and the following information. Order related products separately.								
PRODUCT NO.	DIMENSION 'A'	PACKAGING		EXAMPLE				
4085	-02	-IB		Door Height		Cylinder Height		Α
	<b>01</b> 30" - 52"	IB Individually Boxed		96"	-	40"	=	56"
	<b>02</b> 52" - 67"		REFERENCE: 7' Door is 84"					
	03 67" - 79"		8' Door is 96"					
	<b>04</b> 79" - 92"			9' Door is 108" 10' Door is 120"				

#### 4089



#### Exit Indicator


MODELS & FINISHES	119, 121, 130
4089-00, 4089-01 Indicator for 1-3/4" door, includes both UBC and IBC signs	\$53
4089-20 Indicator for 2" to 2-1/2" door, includes both UBC and IBC signs	\$88
ACCESSORIES	
91-0912 Adapter plate for converting MS1850/4089 installation to deadlatch and lever handle or paddle. Select 121 or 130 finish.	\$32
20-0255-IP Header sign "During Business Hours"	\$7
20-0256-IP IBC header sign "Building is Occupied"	\$7

HOW TO ORDER Specify quantity and the following information. Order related products separately.					
PRODUCT NO OPTIONS FINISH					
4089	-01	-130			
	<b>00</b> Standard 1-3/4" Door	119 To match 335 Black Anodized			
	01 For Inverted Lock   121 To match 313 Dark Bronze Anodized				
	20 For Doors up to 2-1/2"	130 To match 628 Clear Anodized			



#### Canada


### Mounting Bridges



MODELS	
4104-01 Radius mounting bridge	\$10
4104-02 Flat mounting bridge	\$10
4104-03 Left hand bevel mounting bridge	\$10
4104-04 Right hand bevel mounting bridge	\$10

#### 91-0965

### Universal Mounting Tab Kits for Installing MS® Locks & Latches



MODELS


91-0965 Mounting tab kits for flat/radius stiles

91-0966 Mounting tab kits for beveled stiles, includes tabs for right hand and left hand bevel doors and mounting screws for clear and dark bronze.

\$15

#### B1921, B1923

#### Reinforcing Pivots



MODELS & FINISH	
B1921 1/2" offset to match pivot point of 4" wide butt hinge	\$84
B1923 3/4" offset to match pivot point of 4-1/2" wide butt hinge	\$74

HOW TO ORDER Specify quantity and the following information. Order related products separately.				
PRODUCT NO. MODEL				
B192 1				
	1 4"			
	3 4-1/2"			

#### Strikes

2190

### Dual Force® Interconnected Deadbolt/Deadlatch Strikes

MODELS & FINISHES	630	119, 121
2101-01 Standard flat strike with dust box	\$25	\$31
2101-02 Standard radius strike with dust box	\$25	\$31
MODELS & FINISHES	630	121
<b>2101-XX</b> Strike with extended lip, 4.5" only, flat strike.	\$40	\$46
2102-01 Retrofit strike extended height 7-5/8" with dust box.	\$37	\$43


### 2290 Dual Force® Interconnected Deadbolt/Deadlatch Strikes

MODELS & FINISHES	630	119, 121
2206-01 Standard flat strike with dust box	\$25	\$31

Adams Rite ASSA ABLOY

#### 4000 Series

#### Series MS® Deadlock Strikes



MODELS & FINISHES	630	313, 335, 628	US3, US26D	119, 121
4000 Trim Strike		\$26		
4001 Box Strike, includes dust box		\$26	\$46	
MS4002 Armored Strike		\$54	\$74	
4003 ANSI strike, available in 121 or US26D only			\$66	\$66
4005 Strike for 4015 Threshold Bolt	\$19			
4006 Strike for 1830 Bottom Rail Deadlock, also available in 130 finish	\$42			\$48
4009-01 Open back strike for 3300, 8300 Series Mortise Exit Device	\$135			
4170 Trim strike for 4070 Short Throw Deadbolt, not available in 335 finish		\$26		
4505-01 Flat armored box strike for MS+1890 Deadlock/Deadlatch	\$46			\$52
4505-02 Radius armored box strike for MS+1890 Deadlock/Deadlatch	\$46			\$52
<b>4505-17, 4505-21</b> Flat long lip armored box strike	\$58			\$64

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
STRIKE MODEL	TRIM PLATE SHAPE	COMPATIBLE DEADLOCK	TRIM PLATE CORNERS	FINISH		
4001	-0			-313		
4000 Trim Strike	0 Flat	1 All Standard MS® locks with 1-3/8" Bolt Throw	<b>1</b> Square	313 Dark Bronze Anodized		
4001 Box Strike	1 Radius	2 1850A-020 with 3/4" Bolt Throw Only	2 Round	335 Black Anodized		
MS4002 Armored Strike		3 All MS-050 Hookbolt locks		628 Clear Anodized		

### 4800, MS4804

#### Series Strikes



MODELS & FINISHES	603	630
MS4804-10-630 Reinforcing strike and screws, two-part with reinforcement for strengthening metal jamb		\$19
4801 Metal strike, specify dash number indicating shim quantity	\$15	\$22
4802 Wood strike, specify dash number indicating shim quantity	\$15	\$22
<b>4810-01, 4810-02</b> Box strike for 5017 Wood Door Deadlock/Deadlatch	\$15	

#### HOW TO ORDER Specify quantity and the following information. Order related products separately.

PRODUCT NO.	TYPE OF JAMB	DIMENSION 'A'	FINISH
480		-02	-630
	1 Metal	01 3/32"	603 Zinc Plated Steel
	2 Wood	02 3/16"	<b>630</b> Satin Stainless
		03 9/32"	

### 4901, 4902





### Deadlatch Strikes

MODELS & FINISHES	630	119, 121
4901-01 Flush mount flat strike, mortised with dust box	\$16	\$22
4901-02 Flush mount radius strike, mortised with dust box	\$16	\$22
4901-XX Extended lip strike, specify lip dim 'A', 2.5" maximum*	\$36	\$42
4902-01 Short box strike, flat with dust box, mounting plate	\$16	\$22
4902-02 Short type box strike, radius with dust box, mounting plate	\$16	\$22
4902-XX Extended lip strike, specify lip dim 'A', 2.5" maximum*	\$36	\$42
4506 Strike for use with 4920AN, not available in 119 finish	\$36	\$42

\*See dim. 'A' dash chart table below.

HOW TO ORDER Specify quantity and the following information. Order related products separately.						
PRODUCT NO.	STRIKE TYPE	FAC	CEPLATE SHA	APE		FINISH
490		-02			630	
		S	TANDARD LI	P		119 To match 335 Black Anodized
	1 Long	01 Flat	01 Flat			121 To match 313 Dark Bronze Anodized
	2 Short	02 Radius			630 Satin Stainless Steel	
		LONG LIP FOR CENTER HUNG DOOR	DIM. 'A'	LONG LIP FOR CENTER HUNG DOOR	DIM. 'A'	
		<b>03</b> 2-1/4" Wide Jamb	1-1/8	<b>13</b> 3-1/2" Wide Jamb	1-3/4	
		<b>05</b> 2-1/2" Wide Jamb	1-1/4	<b>15</b> 3-3/4" Wide Jamb	1-7/8	
		<b>07</b> 2-3/4" Wide Jamb	1-3/8	17 4" Wide Jamb	2	
		09 3" Wide Jamb	1-1/2	<b>19</b> 4-1/4" Wide Jamb	2-1/8	
		<b>11</b> 3-1/4" Wide Jamb	1-5/8	<b>21</b> 4-1/2" Wide Jamb	2-1/4	

#### 4304



### Deadlatch Strike

MODEL & FINISHES	630	119, 121
4304 Surface mount strike for 4300 Electrified Deadlatch	\$20	\$26

#### Thick Door Kits

#### 2190, 2290

#### Dual Force® Interconnected Deadbolt/Deadlatch Thick Door Kit

MODELS	
2190-TDK-XX Thick door kit for 2190, 2290 standard exterior trim set. Specify door thickness.*	\$61
2190-TDK-CL1, -CL2 Thick door kit for 2190, 2290 cladded doors. CL-1 for a standard 1-3/4" thick door with 1/4" cladding. CL-2 for a standard 1-3/4" thick door with 1/2" cladding.	\$61
TDK-4600-XX Thick door kit for 2190, 2290 low profile trim set. Specify door thickness.*	\$25

\*For door thickness (01) 1-3/4", (02) 2", (03) 2-1/4", (04) 2-1/2", (05) 2-3/4", (06) 3", (07) 3-1/4".

#### 4568, 4569

#### Eurostyle Deadlatch Handle Thick Door Kits

MODELS	
<b>91-0128-02, 91-0128-03, 91-0128-04</b> Thick door kits for 4568, 4569	\$18
<b>26-0203-01, 26-0203-02, 26-0203-03</b> Thick door kits for 4568-11, 4569-11	\$18

### Faceplates

#### MS1850S

#### Deadlock Faceplates

MODELS & FINISHES	313, 628
BFK-MS1850-10 Blank faceplate kit, flat, 1" x 6-7/8"	\$22
<b>BFK-MS1850-11</b> Blank faceplate kit, radius, 1" x 6-7/8"	\$22

#### MS1850S, MS1950

#### Deadlock (Standard Bolt) Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
<b>24-0384-010</b> Flat faceplate	\$8	\$29	\$33
<b>24-0384-110</b> Radius faceplate	\$8	\$29	\$33
24-0384-210 Left hand bevel faceplate	\$8	\$29	\$33
24-0384-310 Right hand bevel faceplate	\$8	\$29	\$33
24-0384-410 Radius with weatherstrip	\$11		
SPECIAL MODELS	313, 628		
<b>24-0384-110-313-B100, 24-0384-110-628-B100</b> Radius faceplates, bulk package of 100 units	\$640		
<b>24-0384-210-313-B100, 24-0384-210-628-B100</b> Left hand bevel faceplates, bulk package of 100 units	\$640		
<b>24-0384-310-313-B100, 24-0384-310-628-B100</b> Right hand bevel faceplates, bulk package of 100 units	\$640		
<b>24-0384-410-313-B100, 24-0384-410-628-B100</b> Radius with weatherstrip faceplates, bulk package of 100 units	\$880		

Please note that all 100 faceplates in the bulk package are of the same finish.



# MS1850S, MS1950

### Deadlock (Hookbolt and Short Bolt) Faceplates

· · · · · · · · · · · · · · · · · · ·			
MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
<b>24-0384-020</b> Flat faceplate	\$8	\$29	\$33
24-0384-120 Radius faceplate	\$8	\$29	\$33
24-0384-220 Left hand bevel faceplate	\$8	\$29	\$33
24-0384-320 Right hand bevel faceplate	\$8	\$29	\$33
24-0384-420 Radius with weatherstrip	\$11		
SPECIAL MODELS	313, 628		
<b>24-0384-020-313-B100, 24-0384-020-628-B100</b> Flat faceplates, bulk package of 100 units	\$640		
<b>24-0384-120-313-B100, 24-0384-120-628-B100</b> Radius faceplates, bulk package of 100 units	\$640		
<b>24-0384-220-313-B100, 24-0384-220-628-B100</b> Left hand bevel faceplates, bulk package of 100 units	\$640		
<b>24-0384-320-313-B100, 24-0384-320-628-B100</b> Right hand bevel faceplates, bulk package of 100 units	\$640		
24-0384-420-313-B100, 24-0384-420-628-B100 Radius with weatherstrip faceplates, bulk package of 100 units	\$880		

Please note that all 100 faceplates in the bulk package are of the same finish.

#### MS1850SN

### Deadlock (Standard Bolt) Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
<b>24-0226-010</b> Flat faceplate	\$10	\$31	\$35
24-0226-110 Radius faceplate	\$10	\$31	\$35
24-0226-210 Left hand bevel faceplate	\$10	\$31	\$35
24-0226-310 Right hand bevel faceplate	\$10	\$31	\$35

### MS1850SN-45X Deadlock (Hookbolt) Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
<b>24-0226-020</b> Flat faceplate	\$10	\$31	\$35
24-0226-120 Radius faceplate	\$10	\$31	\$35
24-0226-220 Left hand bevel faceplate	\$10	\$31	\$35
24-0226-320 Right hand bevel faceplate	\$10	\$31	\$35

#### 1870

### Flushbolt Faceplates

MODELS & FINISHES	313, 335, 628
<b>24-0168-00</b> Flat faceplate	\$15
24-0168-01 Radius faceplate	\$15
24-0168-02 Left hand bevel faceplate	\$15
24-0168-03 Right hand bevel faceplate	\$15
24-0168-04 Radius with weatherstrip	\$18

MODELS & FINISHES	313, 335, 628
<b>24-0270-020</b> Flat faceplate	\$10
<b>24-0270-120</b> Radius faceplate	\$10
24-0270-220 Left hand bevel faceplate	\$10
24-0270-320 Right hand bevel faceplate	\$10
24-0270-420 Radius with weatherstrip	\$13

#### 2190 Dual Force® Interconnected Deadbolt/Deadlatch Faceplates

MODELS & FINISHES	313, 628
<b>91-0266-01-313-IP, 91-0266-01-628-IP</b> Flat faceplate and radius faceplate kit for aluminum (2190)	\$37
<b>91-0266-04-313-IP, 91-0266-04-628-IP</b> Flat faceplate and radius faceplate kit for wood or hollow metal (2290)	\$37

#### 2331 Heavy Duty Deadbolt Faceplates

MODELS & FINISHES	121	US26D	US3
22-0170 Flat faceplate	\$37	\$37	\$41
22-0032 Strike plate	\$37	\$37	\$41

#### 3300 Fire-Rated Mortise Exit Device Faceplates

MODEL & FINISHES	335, 628	
<b>24-0015-020</b> Flat faceplate	\$10	

### 4070 Short Throw Deadbolt Faceplates

MODELS & FINISHES	313, 335, 628
<b>24-0136-00</b> Flat faceplate	\$10
24-0136-10 Radius faceplate	\$10
24-0136-20 Left hand bevel faceplate	\$10
24-0136-30 Right hand bevel faceplate	\$10

### 4500 Standard Duty Deadlatch Faceplates

MODELS & FINISHES	313, 335, 628
<b>24-0017-0220</b> Flat faceplate	\$8
<b>24-0017-1220</b> Radius faceplate	\$8
24-0017-2220 Left hand bevel faceplate	\$8
24-0017-3220 Right Hand bevel faceplate	\$8
24-0017-4220 Radius with weatherstrip	\$11
SPECIAL MODELS	628
24-0017-1220-628B100 Radius faceplates, bulk package of 100 units	\$640

Please note that all 100 faceplates in the bulk package are of the same finish.



4530	Standard Duty Deadlatch Faceplates			
	MODELS & FINISHES			313, 335, 628
	<b>24-0016-020</b> Flat faceplate			\$13
	<b>24-0016-120</b> Radius faceplate			\$13
	24-0016-220 Left hand bevel faceplate			\$13
	24-0016-320 Right hand bevel faceplate			\$13
1000				
4900	Heavy Duty Deadlatch Faceplates  MODELS & FINISHES	313, 335, 628	US4, US26E	US3, US26
	24-0137-01 Flat or bevel faceplate	\$8	\$2	
	24-0137-02 Radius faceplate	\$8	\$2	
	24-0137-03 Radius with weatherstrip	\$11	¥-	<b>400</b>
		***		
4900	Heavy Duty Deadlatch Special Faceplate	es .		
	MODELS & FINISHES			313, 628
	24-0140 Radius with weatherstrip seal (1-1/8" x 6-7/8")			\$16
	<b>24-0144-01</b> Flat or beveled doors (1-1/8" x 7-1/4")			\$13
4920, 8300	Faconlatos			
4920, 6300	Faceplates  MODEL & FINISHES			313, 335, 628
	24-0138-01 Flat or bevel faceplate			\$22
7100, 7160	Electric Strike Faceplates			
	MODEL & FINISHES			313, 335, 628
	<b>24-0685-01</b> Round corner faceplate (1-1/4" x 4-7/8")			\$20
7101	Electric Strike Faceplates			
, 101	MODEL & FINISHES			313, 335, 628
	<b>24-0685-02</b> Radius faceplate (1-1/4" x 4-7/8")			\$20
7110	Electric Strike Faceplates			
	MODEL & FINISH			652
	22-0558 Round corner faceplate (1-7/16" x 7-15/16")			\$20
7111	Electric Strike Faceplates			
/ 111	MODEL & FINISH			652
	22-0557 Round corner faceplate (1-7/16" x 10-1/4")			\$20
				+-3



MODEL & FINISHES	313, 335, 628
2 <b>4-0686-01</b> Round corner faceplate (1-1/4" x 6-7/8")	\$25

## 7131 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
<b>24-0686-02</b> Radius faceplate (1-1/4" × 6-7/8")	\$25

### 7140, 7170 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
<b>24-0687-01</b> Radius faceplate (1-1/4" × 4-7/8")	\$20



#### PS-1



### Power Supply

MODEL	
PS-1 Power supply, 12/24 VDC boxed P/S 1 Amp	\$300

#### PS-LR



### Power Supply

MODEL	
PS-LR Power supply for exit devices with LR latch retraction option	\$760

#### KITTED OPTION

MODEL	
BBK-LR Add-on board to the PS-LR, must be supplied with 2 each 12V - 7AH batteries (by others)	\$210

#### PS-SE




## Power Supply

MODEL	
<b>PS-SE</b> Power supply for exit devices with SE latch retraction option	\$615

#### KITTED OPTION

MODEL	
BBK-SE Add-on board to the PS-SE, must be supplied with 2 each 12V - 7AH batteries (by others)	\$210

#### 4612



#### Power Transfer Device

MODELS	
<b>4612-1</b> Wire transfer, 105° swing	\$163
4612-2 Wire transfer, 180° swing	\$210
<b>4612-1SC</b> Wire transfer, swing clear 90° swing	\$280
4612EL-1 Wire transfer, 105° swing with ElectroLynx(TM) Adapter	\$189
4612EL-1SC Wire transfer, 90° swing with ElectroLynx(TM) Adapter	\$306

#### 4603, 4605, 4606



#### Accessories for Power

MODELS	
4603 Rectifier	\$15
<b>4605</b> Transformer, 115 VAC to 12/24 VAC	\$53
4606 Plug-in transformer, 115 VAC to 24 VAC only	\$87
29-0218 Piezo electric horn	\$20
<b>ELX</b> ElectroLynx™ Adapter to connect Adams Rite products to the ElectroLynx system	\$31



#### Deadlocks & Deadlatches

RT1050 RITE Touch® Digital Glass Door Lock

MODEL & FINISH	
RT1050D-DEMO RITE Touch digital glass door lock with thumbturn, for all-glass doors	\$750
RT1050L-DEMO RITE Touch digital glass door lock with lever, for full-glass doors	\$750

2190 Dual Force® Interconnected Deadbolt/Deadlatch

MODELS & FINISH	US32D
2190-MOUNT Dual Force* 2190 Interconnected Deadbolt/Deadlatch mounted complete with electrified trim set	\$1,000

4300 Steel Hawk® Electrified Deadlatch (eLatch)

MODELS & FINISH	US32D
4300-MOUNT Steel Hawk* 4300 Electrified Deadlatch mounted complete with 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer lever	\$850

#### **Exit Devices**

8400 Narrow Stile Mortise Exit Device

MODELS & FINISH	628
8400SE-MOUNT 8400 Series Narrow Stile Mortise Exit Device featuring SE Silent Electrification option	\$1,600

#### Electric Strikes

7400 Ultraline® Electric Strikes

MODELS & FINISH	
7440-MOUNT UltraLine 7440 Electric Strike mounted complete with 4-7/8" faceplate, 628 finish	\$750
74R1-MOUNT UltraLine 74R1 Electric Strike for rim exit devices with 3/4" Pullman latches mounted complete, 130 finish	\$750
74R2-MOUNT UltraLine 74R2 Electric Strike for rim exit devices with 1/2" Pullman latches mounted complete, 130 finish	\$750



#### Trim

#### A100-3090H

### Keyless Entry and Aperio® Hub Wholesale Kit

MODELS & FINISH	626
A100-3090C-MOUNT Aperio* A100 Keyless Entry Control and Aperio Hub with HID* iClass credentials, mounted complete with 4900 Heavy Duty Deadlatch, 4600 Heavy Duty Designer Deadlatch Lever Trim	\$2,150
A100-3090CK-MOUNT Aperio® A100 Keyless Entry Control and Aperio Hub with keypad and HID® iClass credentials, mounted complete with 4900 Heavy Duty Deadlatch, 4600 Heavy Duty Designer Deadlatch Lever Trim	\$2,150

#### 3090

### eForce® Keyless Entry

MODELS & FINISH	626
<b>3090-MOUNT</b> eForce*3090-150 Keyless Entry Trim mounted complete with 4900 Heavy Duty Deadlatch	\$1,200
3090C-MOUNT eForce*3090P Keyless Entry Trim with HID* iClass credentials mounted complete with 4900 Heavy Duty Deadlatch	\$1,450
3090P-MOUNT eForce*3090P Keyless Entry Trim with HID* Prox credentials mounted complete with 4900 Heavy Duty Deadlatch	\$1,450

#### 4600

### Heavy Duty Designer Deadlatch Handles

MODELS & FINISH	US32D
4600-MOUNT 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer levers, mounted complete with Dual Force* 2190 Deadbolt/Deadlatch (lock)	\$1,000

#### Limited Warranty

Products sold under the Adams Rite brand in the United States of America are warranted free from defects in workmanship and materials under normal use and service.

This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, corrosion, erosion, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized non-Adams Rite products or parts.

This warranty is void if any modification is made to the product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk of the party making the modification.

Should any defect of manufacture (in material or workmanship) occur in its products, Adams Rite, upon prompt notification and proof to its satisfaction that the product was defective in manufacture for the use intended by Adams Rite, will at its option, exchange the product, repair the product, or refund the price charged by Adams Rite, FOB factory within the stated time frame listed below.

- · All mechanical products for five (5) years from date of manufacture
- Ultraline® 7400 Electric Strikes for five (5) years from date of manufacture
- All electrical products for three (3) years from date of manufacture, with the exception of the exit devices with the SE option
- Exit devices with the SE option for one (1) year from date of manufacture. Adams Rite
  recommends that for optimal performance all exit devices with the SE option are
  installed and powered using PS-SE power supplies. Installing SE exit devices with PS-SE
  power supplies extends the warranty to five (5) years from date of manufacture.

#### General RMA Procedure

Product repair or replacement, or associated charges, will not be accepted under this warranty unless prior authorization from Adams Rite has been given. Upon receipt of products returned for repair or replacement, Adams Rite will determine whether products qualify for repair or replacement under this warranty. Adams Rite has no liability to pay any costs of repair performed by anyone other than qualified personnel authorized by Adams Rite prior to the work being done.

Written notice of a product or component part believed to be defective as covered by this warranty should be sent to Adams Rite, 10027 S. 51st Street, Suite 102, Phoenix, Arizona 85044 or customer.care@assaabloy.com and should include your name and address, an identification of the product or component part and a brief description of the defect. Notice of a product or component part believed to be defective as covered by this warranty may also be accepted over the telephone by Adams Rite, 800.872.3267.

Upon receipt of such notice, if the customer has an account with Adams Rite or a valid credit card, an advance replacement product may be ordered whereby Adams Rite will ship a replacement product to the customer free of charge. If Adams Rite does not receive the original defective product from the customer within 60 days, Adams Rite will charge the customer's account or credit card for the price of the advanced replacement product plus freight costs. Upon inspection of the returned product by Adams Rite, a decision will be made whether or not to charge the customer for the advanced replacement Adams Rite product. This decision will be made solely by Adams Rite in accordance with the provisions of these Terms. Obsolete products will not be accepted for return. Return Material Authorizations (RMAs) will be closed if the goods are not received within 60 days of issuance.

If Adams Rite receives original defective product from the customer within 60 days of RMA issuance, and if the customer is requesting credit for the defective material, the customer must reference the valid Adams Rite Purchase Order number upon which the product was originally ordered. If the original Purchase Order number is not available, at Adams Rite's option a credit may be issued at the customer's current cost. This decision will be made solely by Adams Rite in accordance with the provisions of these Terms.

Transportation charges and insurance on all returned materials must be prepaid by the purchaser when merchandise is ordered in error. On goods returned for customer convenience, when the purchaser returns materials in compliance with these Terms which are accepted by Adams Rite, the purchaser may be issued a credit for 65% of the purchase price, with 35% charged by Adams Rite for handling and reprocessing. All refunds will be in the form of a credit.

Scrap in field may be allowed on select products for customers who have prior agreement with Adams Rite. In this case the original defective product will not have to be returned to Adams Rite. Items allowed under this program are subject to the discretion of Adams Rite and may change at any time. Only authorized product is allowed to be scrapped in the field. Unauthorized product scrapped in the field will be considered 'not returned' and the customer will be charged for the replacement or credit will be denied.

#### Cancellation

As an industry leader, Adams Rite is committed to maintaining the highest standard of quality and ensuring strict compliance to industry codes. Adams Rite's proud history of customer service and manufacturing agility allow quick response times to customer's changing needs, which may include special orders or product modifications. Please be advised that all product modifications require special authorization to ensure the order fully meets customer's expectations. Customers are asked to allow for an extended lead time on all special orders. Please note that at Adams Rite's option, product modifications and other special orders cannot be changed, cancelled, or returned once a ship date has been provided on an order acknowledgement by Adams Rite.

Adams Rite prides itself on introducing new, industry-relevant, feature-rich products. Since new solutions will surpass the capabilities of older product lines, historical products may be subsequently discontinued. Every effort will be made to announce new product introductions as well as product discontinuations in a manner that allows customers advanced notice of these events. Once a product line is discontinued orders will be fulfilled in order of receipt, although Adams Rite cannot guarantee all orders can be filled. Repair services and spare parts for discontinued product lines will be available for some reasonable time period. Adams Rite reserves the right to replace discontinued product with an equivalent product as deemed by Adams Rite.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES. TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THIS WARRANTY. ADAMS RITE IS A DIVISION OF HANCHETT ENTRY SYSTEMS, INC. HANCHETT ENTRY SYSTEMS, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

#### Contact Information

Customer Support: 1.800.872.3267

Website: adamsrite.com

Email: customer.care@assaabloy.com; phx.support@assaabloy.com;

orders.adamsrite@assaabloy.com

Customers purchasing from Door Security Solutions Canada can find Canadian terms and conditions at www.assaabloy.ca/terms.





# USA

**3** 800.872.3267

**4** 800.232.7329

adamsrite.com

customerservice.adamsrite@assaabloy.com techsupport.adamsrite@assaabloy.com orders.adamsrite@assaabloy.com

# Canada

**3** 800.461.3007

assaabloydss.ca

Customer Support in Canada: cavau-sales@assaabloy.com

Copyright © 2018, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.



Follow us on Twitter at @AdamsRite



Like us on Facebook at Adams Rite



Subscribe to our YouTube Channel at AdamsRiteMfg



Connect with us on LinkedIn at Adams Rite

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience

