

## INTRODUCING MORTISE LOCK STATUS INDICATORS.

AVAILABLE IN SIX LOCKING FUNCTIONS, THESE INDICATORS OFFER THE PERFECT SOLUTION WHEN ADDITIONAL, ENHANCED SECURITY OR PRIVACY IS NEEDED.

### Functions with "Locked/Unlocked" Indicator

- Intruder with Deadbolt with Deadlatch (ANSI F34 = PDQ MR257)
- Domitory (ANSI F33 = PDQ259)

#### Functions with "Vacant/Occupied" Indicator

- Faculty/Restroom with Deadbolt (No ANSI, PDQ MR260)
- Privacy (ANSI F22 = PDQ MR276)
- Privacy with Deadbolt (ANSI F02 = PDQ MR278)
- Privacy with Deadbolt with Egress (ANSI F19 = PDQ MR279)

630 (US32D). For other finishes, contact PDQ Technical Service

Locked/Unlocked Indicator conforms with ANSI Z535.1 Safety Colors: Red and Green.






For more information or to order products, contact your local Sales Representative or PDQ Customer Service at 800.441.9692.





Headquarters: 2754 Creek Hill Road • Leola, PA 17540 • 800.441.9692 • 717.656.6892 Fax Regional Distribution Centers: Kansas City, MO, Salt Lake City, UT, Seattle, WA, Denton, TX www.pdqlocks.com

### **MORTISE LOCK STATUS INDICATORS SUBMITTAL SHEET**

















**MR SERIES "J" TRIM** 

• 1-3/4" standard, 2" and 2-1/4" special order from factory.

MR SERIES "J" WIDE TRIM

### **SPECIFICATIONS**

FOR DOORS:
BACKSET:
CASE:
ARMOR FRONT:
STRIKE:
LATCHBOLT:

DEADBOLT: HAND: TRIM:

KEYS: KEYWAYS: <u>Interchangea</u>ble core:

CYLINDER: KEYING:

**FINISHES:** 

**WARRANTY:** 

**COUNTRY OF ORIGIN:** 

CERTIFICATIONS, LISTINGS COMPLIANCES:

E: T: 2-3/4" standard.
3-3/4" and 5" optional.
13-gauge cold rolled steel mechanism
D

- eel mechanism Dichromated for corrosion resistance
- Beveled 1/8" on 2"
   630 (US32D) use stainless steel as base material
- Handed Curved Lip Strike 630 (US32D) use stainless steel as base material,
- 3/4" Throw Investment Cast Stainless Steel
- Anti-friction
- 1" Throw Investment Cast Stainless Steel
- Most functions field reversible. Specify handing for strikes, consult factory for details
- J & JW trim stainless steel escutcheon and levers, PHL, MEM, MIA and BSN are solid levers, ORL. DAL and CHI are tube levers.
- Two (2) per Lock
- SCC standard (Schlage C Compatible)
  - Also available in keyways of other manufacturers
- 6 or 7-pin Compatible with Best, Falcon & Arrow
- Large Format IC Cores compatible with Schlage.
- 6 or 7-pin Brass Mortise Cylinder
- Options: MK, CMK or GMK
- Zero Bitted (KO), Keyed Different (KD) or Keyed Alike (KA) Can be keyed into existing master key systems
- 630 (US32D)
- Antimicrobial Coating available
- UL/CUL 10C listed for 3 hrs, for single doors up to 4'0" x 8'0"
- Certified to ANSI/BHMA 156.13-2005 Operational Grade 1 and Security Grade 1
- Windstorm Rated Florida Building Code listed FL3262, ANSI A250.13, ASTM E1886, ASTM E330, Outswing: 350 ft-lbs., Inswing: N/R, Design Load Rating: 2453lbf. (functions with deadbolts only)
- Complies with ADA (Americans with Disabilities Act) and ICC/ANSI 117.1 for Accessible and Usable Buildings
- JW Wide Escutcheon Trim complies with Unified Facilities Guide Specification 08 71 00 (August 2008)
- Lifetime Limited Warranty
- Assembled in the U.S.A. with U.S. and foreign material. Meets requirements of the Buy American Act.
- ‡ Available with antimicrobial powder coating, treated with silver ionic technology that is known to inhibit the growth of microbes.




# MORTISE LOCK STATUS INDICATORS SUBMITTAL SHEET

# **PDQ INDICATOR FUNCTIONS**

FUNCTION	FUNCTION NUMBER	OUTSIDE   INSIDE	DESCRIPTION		ANSI NUMBER
Intruder Deadbolt with Deadlatch	MR257 AVAILABLE JUNE 2014		Latchbolt operated by lever from either side     Key outside extends/retracts deadbolt     Key inside extends/retracts deadbolt     Inside lever simultaneously retracts latchbolt and deadbolt     Auxiliary latch deadlocks latchbolt     Indicator, inside — "Locked/Unlocked"		F34 w/Indicator
Dormitory	MR259 AVAILABLE JUNE 2014		Latchbolt operated by lever from either side     Key outside extends/retracts deadbolt     Key inside extends/retracts deadbolt     Inside lever simultaneously retracts latchbolt and deadbolt     Indicator, inside — "Locked/Unlocked"	9	F33 w/Indicator
Faculty Restroom with Deadbolt w/Indicator	MR260		<ul> <li>Latchbolt retracted by key outside or lever inside</li> <li>Rigid outside lever</li> <li>Thumbturn inside extends/retracts deadbolt</li> <li>Rotating inside lever retracts deadbolt and latchbolt simultaneously</li> <li>Inside lever is always free for immediate egress</li> <li>Indicator, outside — "Occupied/Vacant"</li> </ul>		
Privacy w/Indicator	MR276		<ul> <li>Latchbolt operated by lever from either side</li> <li>Emergency coin turn outside unlocks outside lever</li> <li>Thumbturn inside locks/unlocks outside lever</li> <li>Closing door unlocks outside lever</li> <li>Rotating inside lever unlocks outside lever</li> <li>Indicator, outside — "Occupied/Vacant"</li> </ul>	00	F22 w/Indicator
Privacy with Deadbolt w/Indicator	MR278		<ul> <li>Latchbolt operated by lever from either side</li> <li>Emergency coin turn outside retracts deadbolt</li> <li>Thumbturn inside extends/retracts deadbolt</li> <li>Not field reversible</li> <li>Indicator, outside — "Occupied/Vacant"</li> </ul>	0.6	F02 w/Indicator
Privacy with Deadbolt and Egress w/Indicator	MR279		<ul> <li>Latchbolt operated by lever from either side</li> <li>Emergency coin turn outside retracts deadbolt</li> <li>Thumbturn inside extends/retracts deadbolt</li> <li>Inside lever simultaneously retracts latchbolt and deadbolt</li> <li>Indicator, outside — "Occupied/Vacant"</li> </ul>	00	F19 w/Indicator





Our Five Distribution Centers are ideally located to provide quick delivery throughout the entire United States. Priority Quickship items will ship same day or next day after the order is received. Contact your sales representative or PDQ Customer Service for more information.





